



Report No.:

Test Time: 2021-04-16 07:39

Luminaire Property

Luminaire Manufacturer:

Luminaire Description: RAD-S-CIS-18.3000.24.-.10

Luminous Length (mm): -100

Luminous Width (mm): -100

Luminous Height (mm): 72.7

Voltage: 24.0 V

Current: 0.801 A

Power: 19.22 W

Power Factor: 1.000

Photometric Results

CIE Class: Direct

Measurement Flux: 1562.5 lm

Downward Ratio: 100%

Total Rated Lamp Lumens: 1562.5 lm

Efficiency: 100%

Upward Ratio: 0%

Field Angle(C0/C180,C90/C270,C45/C225,C135/315): 24.1, 24.3, 24.1, 24.1

Beam Angle(C0/C180,C90/C270,C45/C225,C135/315): 11.7, 11.8, 11.7, 11.7

Luminaire Efficacy Rating (LER): 81.34

Central Intensity: 21500.3 cd

Max. Intensity: 21509.17 cd

Pos of Max. Intensity: H10 V0


S/MH(C0/C180): 0.20

S/MH(C90/C270): 0.20

Picture Of Luminaire



Luminous Intensity Distribution Curve



— C0-C180 — C90-C270

C Plane (°):0.0-360.0: 10.0

Test Lab: Svet-lab

Test Type: TYPE C

Temperature:

Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0



Test Device: LSG-1700B

Distance: 9.600 m

Humidity:

Inspector:


Luminous Intensity Distribution Curve




C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Luminous Intensity Distribution Curve(cd/klm)




Isocandela (rectangle)



Imax (100%): 21509 cd

(10%): 2151 cd	(16%): 3441 cd
(25%): 5377 cd	(40%): 8604 cd
(63%): 13551 cd	(100%): 21509 cd

IsoLux Plot




Mounting Height: 10.0m Max Lux(100%): 215.1 lx

(1%): 2.2 lx	(2%): 4.3 lx
(5%): 10.8 lx	(10%): 21.5 lx
(20%): 43.0 lx	(50%): 107.5 lx
(100%): 215.1 lx	


C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Illuminance at a Distance



Vertical IsoLux Plot




Lowest(m): 1.0m Highest(m): 11.0m Max Lux: 21500.3 lx
 (1%): 215.0 lx (2%): 430.0 lx
 (5%): 1075.0 lx (10%): 2150.0 lx
 (20%): 4300.1 lx (50%): 10750.2 lx
 (100%): 21500.3 lx

C Plane (°): 0.0-360.0: 10.0
 Test Lab: Svet-lab
 Test Type: TYPE C
 Temperature:
 Operator: Svet-lab

Gamma Plane (°): 0.0-90.0: 1.0
 Test Device: LSG-1700B
 Distance: 9.600 m
 Humidity:
 Inspector:

The Average Illuminance Effective Figure



UGR Table


Reflectance:										
Ceiling (cavity)	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Wall	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
Reference plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room dimensions	Viewed crosswise					Viewed endwise				
X=2H Y=2H	13.5	14.1	13.8	14.3	14.4	13.6	14.2	13.9	14.3	14.5
3H	13.4	13.9	13.7	14.1	14.3	13.5	14.0	13.8	14.2	14.4
4H	13.3	13.8	13.6	14.0	14.3	13.4	13.9	13.7	14.1	14.4
6H	13.3	13.7	13.6	14.0	14.2	13.3	13.8	13.7	14.1	14.3
8H	13.2	13.6	13.5	13.9	14.2	13.3	13.7	13.6	14.0	14.3
12H	13.2	13.6	13.5	13.9	14.2	13.3	13.7	13.6	14.0	14.3
X=4H Y=2H	13.3	13.8	13.6	14.0	14.3	13.4	13.9	13.7	14.1	14.4
3H	13.2	13.6	13.5	13.9	14.2	13.3	13.7	13.6	14.0	14.3
4H	13.1	13.4	13.5	13.8	14.1	13.2	13.5	13.5	13.9	14.2
6H	13.0	13.3	13.4	13.7	14.1	13.1	13.4	13.5	13.8	14.1
8H	12.9	13.2	13.4	13.6	14.0	13.0	13.3	13.4	13.7	14.1
12H	12.9	13.2	13.3	13.6	14.0	13.0	13.2	13.4	13.6	14.1
X=8H Y=4H	12.9	13.2	13.4	13.6	14.0	13.0	13.3	13.4	13.7	14.1
6H	12.8	13.1	13.3	13.5	14.0	12.9	13.2	13.4	13.6	14.0
8H	12.8	13.0	13.3	13.4	13.9	12.9	13.1	13.3	13.5	14.0
12H	12.7	12.9	13.2	13.4	13.9	12.8	13.0	13.3	13.5	14.0
X=12H Y=4H	12.9	13.2	13.3	13.6	14.0	13.0	13.2	13.4	13.6	14.1
6H	12.8	13.0	13.3	13.4	13.9	12.9	13.1	13.3	13.5	14.0
8H	12.7	12.9	13.2	13.4	13.9	12.8	13.0	13.3	13.5	14.0
Variations with the observer position at spacings:										
S=1.0H	+4.8/-1.\$					+4.9/-1.\$				
S=1.5H	+8.2/-1.\$					+8.2/-1.\$				
S=2.0H	+10.2/-1.\$					+10.2/-1.\$				

Calculate in accordance with CIE Pub.117. The table is revised with 1562lm ($8\log(F/F_0) = 1.6$).

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

FLUX DISTRIBUTION TABLE BASED ON THE IESNA LUMINAIRE CLASSIFICATION SYSTEM




ZONE	LUMENS	% LAMP LUMENS
FORWARD LIGHT	752	48.2
FL (0°-30°)	703	45.0
FM (30°-60°)	49	3.2
FH (60°-80°)	0	0.0
FVH (80°-90°)	0	0.0
BACK LIGHT	810	51.8
BL (0°-30°)	756	48.4
BM (30°-60°)	53	3.4
BH (60°-80°)	0	0.0
BVH (80°-90°)	0	0.0
UP LIGHT	0	0.0
UL (90°-100°)	0	0.0
UH (100°-180°)	0	0.0
TRAPPED LIGHT	NA	NA

BUG(Backlight,Uplight,Glare) Rating Base On TM-15-07	
Asymmetrical Luminaire Types (Type I,II,III,IV)	B2 U0 G0
Quadrilateral Symmetrical Luminaire Types (Type V,Area Light)	B2 U0 G0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

LCS Graph



Back Light

Forward Light

Scale= MAX LCS%

Trapped Light:NA,NA

C Plane (°):0.0-360.0: 10.0

Test Lab: Svet-lab

Test Type: TYPE C

Temperature:

Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0

Test Device: LSG-1700B

Distance: 9.600 m

Humidity:

Inspector:

Zonal Lumen

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
0.0-1.0	21122.6	20.2	20.2	1.29	1.29
1.0-2.0	20373.3	58.5	78.7	3.74	5.04
2.0-3.0	18845.1	90.1	168.8	5.77	10.81
3.0-4.0	16721.9	111.9	280.8	7.16	17.97
4.0-5.0	14295.0	123.0	403.8	7.87	25.84
5.0-6.0	11621.2	122.1	525.9	7.82	33.66
6.0-7.0	9076.0	112.7	638.6	7.21	40.87
7.0-8.0	6930.1	99.2	737.8	6.35	47.22
8.0-9.0	5188.9	84.1	821.9	5.38	52.60
9.0-10.0	3926.6	71.1	893.0	4.55	57.15
10.0-11.0	3026.5	60.5	953.4	3.87	61.02
11.0-12.0	2398.1	52.4	1005.9	3.36	64.38
12.0-13.0	1980.3	47.0	1052.9	3.01	67.39
13.0-14.0	1664.2	42.6	1095.5	2.73	70.11
14.0-15.0	1422.0	39.0	1134.5	2.50	72.61
15.0-16.0	1233.1	36.1	1170.7	2.31	74.92
16.0-17.0	1074.6	33.5	1204.1	2.14	77.07
17.0-18.0	944.5	31.1	1235.3	1.99	79.06
18.0-19.0	828.3	28.8	1264.1	1.84	80.90
19.0-20.0	726.4	26.6	1290.7	1.70	82.61
20.0-21.0	639.6	24.6	1315.3	1.57	84.18
21.0-22.0	559.5	22.5	1337.7	1.44	85.62
22.0-23.0	489.3	20.5	1358.3	1.31	86.93
23.0-24.0	427.5	18.7	1377.0	1.20	88.13
24.0-25.0	372.9	17.0	1393.9	1.09	89.21
25.0-26.0	328.1	15.5	1409.4	0.99	90.21
26.0-27.0	288.9	14.1	1423.6	0.90	91.11
27.0-28.0	255.0	12.9	1436.5	0.83	91.94
28.0-29.0	226.8	11.9	1448.3	0.76	92.70
29.0-30.0	201.2	10.9	1459.2	0.70	93.39
30.0-31.0	178.9	10.0	1469.2	0.64	94.03
31.0-32.0	159.4	9.1	1478.3	0.58	94.61
32.0-33.0	142.1	8.4	1486.7	0.54	95.15
33.0-34.0	127.2	7.7	1494.4	0.49	95.64
34.0-35.0	113.2	7.0	1501.4	0.45	96.09
35.0-36.0	100.6	6.4	1507.8	0.41	96.50

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab


Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Zonal Lumen (Continue 1)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
36.0-37.0	89.6	5.8	1513.6	0.37	96.88
37.0-38.0	79.6	5.3	1518.9	0.34	97.22
38.0-39.0	70.8	4.8	1523.8	0.31	97.53
39.0-40.0	62.9	4.4	1528.2	0.28	97.81
40.0-41.0	56.0	4.0	1532.2	0.26	98.06
41.0-42.0	50.1	3.6	1535.8	0.23	98.29
42.0-43.0	44.5	3.3	1539.1	0.21	98.50
43.0-44.0	39.5	3.0	1542.1	0.19	98.70
44.0-45.0	35.1	2.7	1544.8	0.17	98.87
45.0-46.0	31.0	2.4	1547.2	0.16	99.02
46.0-47.0	27.4	2.2	1549.4	0.14	99.16
47.0-48.0	24.1	2.0	1551.3	0.12	99.29
48.0-49.0	21.2	1.7	1553.1	0.11	99.40
49.0-50.0	18.5	1.5	1554.6	0.10	99.50
50.0-51.0	16.0	1.4	1556.0	0.09	99.58
51.0-52.0	13.6	1.2	1557.1	0.07	99.66
52.0-53.0	11.5	1.0	1558.1	0.06	99.72
53.0-54.0	9.7	0.9	1559.0	0.05	99.78
54.0-55.0	8.2	0.7	1559.7	0.05	99.83
55.0-56.0	6.8	0.6	1560.3	0.04	99.86
56.0-57.0	5.6	0.5	1560.8	0.03	99.90
57.0-58.0	4.6	0.4	1561.3	0.03	99.92
58.0-59.0	3.7	0.3	1561.6	0.02	99.95
59.0-60.0	2.9	0.3	1561.9	0.02	99.96
60.0-61.0	2.1	0.2	1562.1	0.01	99.98
61.0-62.0	1.5	0.1	1562.2	0.01	99.99
62.0-63.0	1.0	0.1	1562.3	0.01	99.99
63.0-64.0	0.6	0.1	1562.4	0.00	100.00
64.0-65.0	0.3	0.0	1562.4	0.00	100.00
65.0-66.0	0.2	0.0	1562.4	0.00	100.00
66.0-67.0	0.1	0.0	1562.4	0.00	100.00
67.0-68.0	0.0	0.0	1562.4	0.00	100.00
68.0-69.0	0.0	0.0	1562.4	0.00	100.00
69.0-70.0	0.0	0.0	1562.4	0.00	100.00
70.0-71.0	0.0	0.0	1562.4	0.00	100.00
71.0-72.0	0.0	0.0	1562.4	0.00	100.00

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:



C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table

Unit: cd

G\C	C0.0	C10.0	C20.0	C30.0	C40.0	C50.0	C60.0	C70.0	C80.0	C90.0
G0.0	21500.3	21509.2	21464.8	21466.9	21440.3	21421.9	21405.5	21363.9	21364.6	21313.4
G1.0	21330.5	21215.9	21242.5	21138.2	21121.1	20973.2	20980.0	20803.4	20847.0	20689.5
G2.0	20450.8	20234.6	20259.2	20065.5	20051.2	19786.6	19813.2	19586.1	19601.1	19346.7
G3.0	18637.5	18336.1	18458.2	18096.0	18172.4	17815.1	17847.8	17459.8	17581.2	17257.9
G4.0	16463.5	16115.7	16249.3	15840.2	15803.3	15409.2	15557.2	15135.7	15146.6	14809.8
G5.0	13816.8	13452.0	13585.7	13167.0	13256.3	12865.5	12903.7	12490.5	12620.0	12294.8
G6.0	10956.8	10596.0	10741.3	10351.2	10333.5	9975.5	10150.7	9670.0	9805.0	9510.4
G7.0	8435.0	8111.0	8252.2	7909.2	8016.9	7710.7	7788.5	7476.8	7611.9	7364.3
G8.0	6324.3	5980.6	6185.2	5832.0	6012.0	5619.9	5854.5	5542.8	5735.1	5394.9
G9.0	4641.3	4506.3	4547.2	4348.1	4432.6	4262.8	4335.1	4169.4	4269.6	4125.8
G10.0	3546.1	3409.7	3441.8	3349.0	3411.8	3259.0	3315.6	3237.9	3317.0	3181.3
G11.0	2698.4	2609.8	2654.8	2596.8	2613.9	2543.0	2581.8	2509.6	2562.7	2500.0
G12.0	2198.6	2138.6	2161.8	2105.2	2137.2	2074.5	2119.5	2065.6	2102.4	2043.1
G13.0	1832.4	1788.1	1797.6	1755.3	1777.8	1749.9	1770.3	1728.7	1753.3	1723.3
G14.0	1550.1	1505.1	1518.0	1484.6	1501.0	1470.9	1496.9	1455.9	1479.8	1448.4
G15.0	1340.0	1308.0	1308.7	1280.7	1293.7	1279.3	1292.3	1266.4	1278.0	1260.9
G16.0	1160.0	1132.7	1133.4	1111.6	1119.8	1097.3	1117.7	1087.7	1106.8	1089.1
G17.0	1013.4	988.8	995.6	976.5	980.0	963.6	973.8	957.5	975.2	966.3
G18.0	892.0	874.3	883.8	866.1	864.0	845.6	855.2	844.9	867.4	856.5
G19.0	772.0	764.5	771.3	759.7	752.2	731.0	738.5	733.1	758.3	754.2
G20.0	680.6	673.1	684.0	668.3	664.2	643.1	647.8	649.2	673.1	670.3
G21.0	599.4	589.2	600.1	582.4	581.7	555.8	566.0	562.6	591.9	584.4
G22.0	521.0	519.0	522.4	508.0	504.6	486.2	491.0	497.1	517.6	517.6
G23.0	461.0	456.2	459.0	446.0	442.6	426.9	431.0	435.8	454.2	455.5
G24.0	401.0	396.9	394.9	383.9	380.5	370.3	371.0	375.1	394.9	396.9
G25.0	355.3	348.5	347.1	336.9	335.5	323.9	326.6	326.6	348.5	349.1
G26.0	314.4	306.9	304.1	294.6	293.9	288.5	289.1	289.1	305.5	307.6
G27.0	278.2	270.7	264.6	257.1	257.1	254.4	256.4	254.4	267.3	266.6
G28.0	250.3	241.4	232.5	226.4	228.4	227.8	229.1	226.4	234.6	232.5
G29.0	225.0	213.4	205.9	196.4	204.6	203.9	208.0	201.2	208.0	203.2
G30.0	198.4	192.3	181.4	175.3	180.7	182.1	184.8	180.7	182.1	178.7
G31.0	175.9	171.9	162.3	156.2	163.7	161.6	164.4	163.0	163.0	157.5
G32.0	156.2	153.4	144.6	137.8	145.3	143.9	144.6	143.9	143.9	139.1
G33.0	139.8	137.8	129.6	124.1	129.6	128.2	128.9	128.9	128.9	125.5
G34.0	125.5	122.8	115.9	111.2	115.3	113.9	115.3	115.3	115.9	112.5
G35.0	111.8	109.1	103.0	98.2	102.3	100.3	100.9	98.9	101.6	100.9
G36.0	100.9	98.2	92.7	88.7	90.0	89.3	89.3	87.3	91.4	90.7

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 1)

Unit: cd

G\C	C0.0	C10.0	C20.0	C30.0	C40.0	C50.0	C60.0	C70.0	C80.0	C90.0
G37.0	90.7	88.0	82.5	79.8	80.5	77.7	79.8	77.1	81.8	79.8
G38.0	82.5	79.1	74.3	71.6	71.6	68.2	70.2	68.9	73.0	72.3
G39.0	72.3	70.9	66.2	64.1	63.4	60.0	62.7	62.1	66.2	64.1
G40.0	64.1	61.4	59.3	57.3	56.6	53.2	55.2	55.9	58.0	58.0
G41.0	57.3	54.6	53.2	52.5	50.5	47.0	50.5	49.1	51.8	51.8
G42.0	51.2	49.1	47.7	47.0	45.7	42.3	45.0	43.6	45.7	47.0
G43.0	47.0	43.0	43.6	42.3	40.2	36.8	39.5	38.9	40.2	42.3
G44.0	41.6	38.9	38.9	38.2	35.5	33.4	36.1	34.1	35.5	37.5
G45.0	38.2	34.1	34.1	32.7	32.0	30.0	32.7	30.0	32.0	31.4
G46.0	33.4	30.7	29.3	30.0	28.0	26.6	30.0	26.6	27.3	28.6
G47.0	30.0	26.6	26.6	26.6	25.2	23.2	26.6	23.2	23.9	24.5
G48.0	26.6	23.2	23.2	23.2	21.8	20.5	23.2	19.8	21.1	21.1
G49.0	23.9	21.1	21.1	20.5	19.1	18.4	20.5	18.4	18.4	18.4
G50.0	20.5	17.7	18.4	17.7	17.0	15.7	17.0	15.7	15.7	17.0
G51.0	17.0	15.7	15.7	15.7	15.0	15.7	15.0	13.6	13.6	14.3
G52.0	15.7	13.0	13.6	13.0	13.0	10.9	13.0	11.6	10.9	12.3
G53.0	14.3	10.9	11.6	10.9	10.9	8.9	10.2	9.6	10.2	9.6
G54.0	12.3	10.2	9.6	10.2	9.6	7.5	8.9	8.2	8.2	8.9
G55.0	10.9	8.9	8.9	8.2	8.9	6.1	8.2	6.8	6.8	7.5
G56.0	9.6	8.2	8.2	7.5	6.8	4.8	6.1	5.5	5.5	6.1
G57.0	7.5	6.8	6.8	6.8	4.8	4.1	5.5	4.8	4.1	5.5
G58.0	6.8	6.1	5.5	4.8	3.4	2.7	4.1	3.4	3.4	4.1
G59.0	6.1	5.5	4.8	4.1	3.4	2.7	3.4	2.7	2.7	3.4
G60.0	4.8	4.8	4.1	3.4	1.4	2.0	2.7	2.0	0.7	2.0
G61.0	4.8	3.4	3.4	3.4	0.7	0.7	2.7	1.4	1.4	1.4
G62.0	3.4	2.7	2.0	2.0	0.0	0.0	2.7	0.7	0.0	0.7
G63.0	2.7	2.0	2.7	1.4	0.0	0.0	1.4	0.0	0.0	0.7
G64.0	2.0	1.4	1.4	0.7	0.0	0.0	0.7	0.0	0.0	0.0
G65.0	2.0	0.7	0.7	0.7	0.0	0.0	0.7	0.0	0.0	0.0
G66.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G67.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G69.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G71.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G73.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 3)

Unit: cd

G\C	C100.0	C110.0	C120.0	C130.0	C140.0	C150.0	C160.0	C170.0	C180.0	C190.0
G0.0	21312.1	21222.8	21255.5	21166.2	21199.6	21130.0	21152.5	21091.1	21500.3	21509.2
G1.0	20671.7	20544.2	20562.6	20471.3	20557.9	20433.1	20522.4	20441.3	20881.8	20996.3
G2.0	19402.0	19124.4	19241.7	19028.9	19188.5	19084.2	19249.9	19135.3	19607.9	19749.1
G3.0	17224.5	16974.9	17127.7	16863.8	17064.9	16846.7	17068.4	16948.3	17429.8	17615.3
G4.0	14875.9	14501.5	14650.9	14373.3	14577.9	14352.9	14710.2	14599.7	14946.2	15282.3
G5.0	12239.5	11871.3	12132.5	11739.0	12047.9	11824.9	12178.1	11952.4	12384.1	12739.4
G6.0	9577.2	9239.0	9370.6	9114.2	9284.0	9082.8	9400.6	9195.3	9670.6	9907.3
G7.0	7341.8	7054.7	7165.9	6946.3	7185.6	7015.1	7197.9	7104.5	7414.8	7716.2
G8.0	5536.0	5242.8	5476.7	5165.0	5422.1	5153.4	5502.6	5278.9	5529.9	5836.1
G9.0	4130.5	4017.3	4095.1	3968.2	4062.3	3963.4	4067.8	4000.3	4196.0	4365.8
G10.0	3221.5	3106.3	3167.6	3081.0	3149.2	3112.4	3186.7	3132.9	3285.6	3360.6
G11.0	2503.4	2450.9	2493.9	2440.0	2481.6	2435.2	2482.3	2448.9	2568.2	2639.1
G12.0	2062.9	2013.1	2045.2	2010.4	2053.3	2001.5	2052.0	2032.9	2133.8	2180.9
G13.0	1725.3	1694.6	1732.8	1706.9	1725.3	1698.7	1725.3	1719.9	1801.7	1833.1
G14.0	1460.7	1442.3	1462.8	1443.0	1455.3	1436.2	1466.2	1466.2	1537.1	1558.9
G15.0	1261.6	1248.0	1273.2	1249.3	1267.7	1255.5	1279.3	1271.1	1342.1	1352.3
G16.0	1094.5	1080.2	1095.2	1080.9	1100.0	1091.1	1103.4	1102.7	1163.4	1187.9
G17.0	968.4	950.6	962.2	949.3	965.6	960.9	975.2	965.6	1016.8	1028.4
G18.0	855.8	832.7	839.5	829.9	853.1	851.8	858.6	849.7	889.9	908.3
G19.0	752.2	727.0	728.3	721.5	740.6	741.3	752.2	736.5	774.0	791.0
G20.0	664.9	637.6	639.7	630.8	653.3	654.7	661.5	649.9	681.3	698.3
G21.0	587.8	554.4	557.2	548.3	570.8	566.7	583.1	564.7	600.1	613.1
G22.0	510.8	484.9	483.5	478.7	495.1	498.5	505.3	497.8	521.0	533.3
G23.0	450.1	424.9	424.2	420.1	434.4	435.1	443.3	437.1	459.0	467.8
G24.0	389.4	365.5	365.5	361.4	373.7	377.8	385.3	380.5	401.0	412.6
G25.0	344.4	322.6	321.9	319.1	326.6	330.1	337.6	334.1	352.6	357.3
G26.0	302.1	285.0	287.1	284.4	288.5	290.5	298.7	297.3	315.1	318.5
G27.0	264.6	251.6	254.4	251.0	254.4	253.7	260.5	261.9	278.2	281.6
G28.0	233.2	225.7	229.8	225.0	224.4	223.0	231.2	233.2	251.0	251.6
G29.0	205.9	200.5	205.9	201.2	200.5	195.7	205.3	208.7	227.8	226.4
G30.0	182.1	178.0	180.7	181.4	176.6	173.9	182.1	186.2	199.8	200.5
G31.0	163.0	159.6	161.6	161.6	158.9	156.2	163.7	168.4	180.0	181.4
G32.0	144.6	140.5	141.8	142.5	141.8	138.4	145.3	150.7	160.9	162.3
G33.0	127.5	125.5	126.8	126.2	126.2	124.1	130.3	138.4	145.9	148.0
G34.0	113.9	111.2	112.5	111.8	113.2	111.2	115.9	125.5	133.0	133.7
G35.0	100.3	96.8	98.9	97.5	98.9	98.9	102.3	111.8	121.4	119.3
G36.0	89.3	85.2	87.3	87.3	88.7	89.3	90.7	99.6	109.1	107.8

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 4)

Unit: cd

G\C	C100.0	C110.0	C120.0	C130.0	C140.0	C150.0	C160.0	C170.0	C180.0	C190.0
G37.0	80.5	75.7	77.1	77.1	79.1	77.7	80.5	85.2	96.8	95.5
G38.0	70.2	66.8	68.2	68.9	70.2	70.2	71.6	75.0	84.6	83.9
G39.0	62.7	59.3	60.7	60.0	62.7	62.7	63.4	64.8	74.3	75.0
G40.0	55.9	53.9	53.9	53.2	54.6	55.9	55.9	56.6	66.2	66.2
G41.0	49.8	47.7	47.7	47.0	49.1	49.8	49.8	50.5	59.3	59.3
G42.0	44.3	43.0	41.6	42.3	44.3	44.3	43.6	45.0	52.5	53.2
G43.0	39.5	38.2	36.8	36.8	38.9	39.5	38.9	39.5	45.0	45.7
G44.0	35.5	34.1	33.4	33.4	34.8	34.8	34.1	34.1	40.2	40.9
G45.0	30.7	30.0	29.3	28.6	30.7	30.0	30.7	30.0	36.8	36.8
G46.0	26.6	27.3	25.9	26.6	25.9	25.9	27.3	25.2	33.4	32.0
G47.0	23.9	23.9	24.5	23.2	23.2	23.2	23.2	23.2	29.3	28.6
G48.0	20.5	21.1	19.8	19.8	20.5	19.8	20.5	19.1	25.9	25.2
G49.0	18.4	18.4	17.7	17.7	17.7	17.7	17.7	17.0	22.5	22.5
G50.0	15.7	16.4	15.7	15.0	15.7	14.3	15.7	13.6	20.5	19.8
G51.0	13.6	13.0	13.0	13.6	13.0	11.6	13.6	12.3	16.4	17.7
G52.0	11.6	11.6	11.6	11.6	10.2	9.6	11.6	8.9	14.3	15.0
G53.0	9.6	8.9	8.9	9.6	10.2	8.9	9.6	8.2	12.3	12.3
G54.0	8.2	6.8	6.8	7.5	8.2	6.8	8.2	6.1	10.2	10.2
G55.0	6.8	6.1	6.1	6.1	6.1	6.1	6.8	4.1	8.9	8.9
G56.0	5.5	4.1	4.1	5.5	5.5	4.1	4.8	2.0	8.2	7.5
G57.0	4.1	3.4	3.4	4.1	4.1	3.4	4.8	2.0	6.8	6.8
G58.0	3.4	2.7	2.7	3.4	3.4	3.4	3.4	1.4	6.1	5.5
G59.0	2.7	2.0	2.7	2.7	2.7	2.0	2.0	0.0	4.8	5.5
G60.0	1.4	1.4	1.4	2.0	2.0	1.4	0.7	0.0	4.1	5.5
G61.0	1.4	0.7	0.0	2.0	1.4	0.0	0.0	0.0	3.4	4.1
G62.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.1
G63.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.4
G64.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4
G65.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4
G66.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4
G67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
G68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G69.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G71.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G73.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 6)

Unit: cd

G\C	C200.0	C210.0	C220.0	C230.0	C240.0	C250.0	C260.0	C270.0	C280.0	C290.0
G0.0	21464.8	21466.9	21440.3	21421.9	21405.5	21363.9	21364.6	21313.4	21312.1	21222.8
G1.0	20903.6	20987.5	20963.6	21067.3	21024.3	21130.0	21100.0	21136.2	21114.3	21151.2
G2.0	19678.8	19846.6	19825.4	20039.6	19982.3	20142.6	20101.6	20262.6	20188.9	20351.9
G3.0	17548.4	17881.9	17778.3	18096.0	18040.1	18368.8	18242.7	18488.2	18478.6	18645.7
G4.0	15220.3	15501.9	15510.8	15892.0	15845.6	16126.6	16096.6	16391.9	16278.0	16584.2
G5.0	12560.7	12993.1	12890.1	13308.1	13267.2	13703.7	13538.6	13869.4	13863.9	14196.0
G6.0	9850.7	10157.5	10172.5	10592.6	10552.4	10875.6	10823.1	11149.1	11010.0	11344.1
G7.0	7575.0	7939.9	7842.4	8213.3	8273.3	8576.8	8426.8	8724.1	8680.5	8871.4
G8.0	5653.3	6017.5	5857.9	6219.3	6106.1	6515.3	6312.1	6726.0	6513.2	6823.5
G9.0	4336.5	4487.9	4424.5	4622.9	4597.0	4837.0	4812.5	4929.8	4892.9	5047.1
G10.0	3344.9	3439.7	3437.0	3570.0	3552.9	3673.6	3657.3	3779.3	3753.4	3806.6
G11.0	2628.9	2686.2	2657.5	2744.1	2763.2	2836.2	2823.2	2900.3	2853.3	2913.9
G12.0	2151.5	2204.7	2185.6	2248.4	2245.0	2308.4	2276.3	2323.4	2317.2	2333.6
G13.0	1807.2	1839.9	1830.3	1892.4	1878.8	1916.9	1889.0	1934.0	1915.6	1946.9
G14.0	1535.1	1559.6	1554.2	1590.3	1591.0	1616.9	1592.3	1610.8	1607.3	1636.0
G15.0	1337.3	1350.3	1350.3	1384.3	1385.7	1395.9	1381.6	1397.3	1392.5	1407.5
G16.0	1161.3	1187.3	1164.8	1206.4	1200.2	1222.7	1196.1	1217.3	1195.4	1231.6
G17.0	1020.2	1033.1	1029.1	1048.8	1049.5	1065.2	1052.2	1063.8	1055.0	1071.3
G18.0	903.6	915.8	909.7	919.9	924.0	934.9	934.3	942.5	934.3	939.0
G19.0	785.6	804.0	791.0	800.6	799.2	817.7	817.7	830.6	817.0	813.6
G20.0	696.3	707.2	700.4	705.1	704.5	723.5	727.6	741.3	726.3	717.4
G21.0	613.1	624.0	617.2	620.6	620.6	635.6	645.1	657.4	643.8	632.2
G22.0	529.9	542.8	534.6	536.0	538.0	555.1	564.0	575.6	560.6	549.7
G23.0	465.8	474.6	469.9	471.9	472.6	489.6	495.1	506.0	495.1	480.1
G24.0	401.7	418.0	407.8	411.9	410.5	428.3	431.0	444.6	431.0	422.1
G25.0	354.6	364.2	357.3	359.4	360.1	371.7	378.5	388.0	377.1	366.9
G26.0	312.3	319.8	317.1	320.5	320.5	327.3	335.5	343.7	333.5	321.9
G27.0	274.1	278.9	276.9	281.6	282.3	287.8	293.9	300.0	289.8	283.7
G28.0	242.1	245.5	246.2	253.7	254.4	255.1	259.1	262.5	257.1	253.7
G29.0	216.2	216.9	220.3	229.1	229.1	227.8	229.1	231.2	228.4	227.1
G30.0	192.3	189.6	195.0	201.9	200.5	202.5	200.5	200.5	200.5	199.8
G31.0	173.2	172.5	174.6	180.7	180.0	181.4	176.6	176.6	178.0	178.7
G32.0	154.8	154.1	154.8	159.6	158.9	161.6	156.9	155.5	158.2	156.9
G33.0	139.1	139.1	139.1	143.9	141.8	143.9	141.8	139.1	141.2	141.2
G34.0	126.2	124.8	124.1	128.2	126.8	128.2	124.8	125.5	125.5	125.5
G35.0	112.5	110.5	109.8	113.2	111.8	113.2	111.8	111.8	110.5	110.5
G36.0	101.6	99.6	96.8	100.3	100.3	100.3	100.3	100.3	98.2	97.5

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 7)

Unit: cd

G\C	C200.0	C210.0	C220.0	C230.0	C240.0	C250.0	C260.0	C270.0	C280.0	C290.0
G37.0	90.0	88.7	85.9	89.3	88.0	90.0	88.7	90.7	88.0	86.6
G38.0	79.8	79.1	77.1	78.4	78.4	79.1	79.1	81.2	78.4	76.4
G39.0	71.6	70.9	68.9	70.2	70.2	70.2	71.6	71.6	70.2	68.2
G40.0	62.7	62.7	60.7	62.1	62.1	62.1	63.4	64.8	62.1	59.3
G41.0	57.3	56.6	55.2	55.2	56.6	55.2	57.3	58.0	55.9	53.9
G42.0	50.5	50.5	48.4	49.8	49.8	49.1	51.2	52.5	49.1	47.7
G43.0	45.0	45.0	43.0	44.3	43.6	44.3	45.0	47.0	43.6	43.0
G44.0	39.5	39.5	38.2	39.5	39.5	38.9	40.9	41.6	38.9	38.9
G45.0	34.8	34.8	33.4	35.5	34.8	33.4	36.1	37.5	34.8	34.1
G46.0	31.4	30.0	28.6	30.7	31.4	29.3	31.4	32.7	30.7	30.0
G47.0	28.6	27.3	26.6	28.0	28.0	25.9	27.3	28.6	25.9	27.3
G48.0	25.2	23.9	22.5	24.5	25.2	22.5	24.5	24.5	23.2	24.5
G49.0	21.8	20.5	19.8	21.8	22.5	19.8	21.1	21.8	19.8	21.8
G50.0	19.1	17.7	17.0	18.4	19.8	17.7	18.4	18.4	17.7	18.4
G51.0	16.4	15.0	15.0	16.4	17.0	15.7	15.7	16.4	15.0	15.7
G52.0	13.6	13.0	13.0	13.0	15.7	13.0	13.6	13.6	13.0	13.6
G53.0	12.3	10.9	10.9	12.3	13.0	11.6	10.9	10.9	10.9	12.3
G54.0	10.2	8.9	9.6	9.6	10.9	8.9	10.2	10.2	8.9	9.6
G55.0	8.9	7.5	8.9	8.2	9.6	6.8	8.2	7.5	6.8	8.2
G56.0	7.5	6.1	6.8	7.5	8.2	5.5	7.5	6.8	5.5	6.8
G57.0	6.8	5.5	5.5	6.1	6.8	4.8	5.5	5.5	2.7	6.1
G58.0	6.1	4.8	4.1	5.5	6.1	4.1	4.8	4.8	2.0	5.5
G59.0	4.8	3.4	3.4	4.8	4.8	3.4	3.4	3.4	1.4	4.1
G60.0	4.8	3.4	1.4	3.4	3.4	2.0	3.4	3.4	0.0	2.7
G61.0	3.4	1.4	1.4	2.7	3.4	1.4	1.4	2.7	1.4	2.7
G62.0	2.7	1.4	0.7	2.0	2.7	0.7	0.7	2.0	0.7	1.4
G63.0	2.0	0.7	0.7	2.0	2.0	0.7	0.7	2.0	1.4	1.4
G64.0	1.4	0.0	0.0	1.4	0.7	0.0	0.0	0.7	0.0	0.7
G65.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7
G66.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G69.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G71.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G73.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 9)

Unit: cd

G\C	C300.0	C310.0	C320.0	C330.0	C340.0	C350.0	C360.0			
G0.0	21255.5	21166.2	21199.6	21130.0	21152.5	21091.1	21500.3			
G1.0	21110.2	21121.1	21040.0	21058.4	20966.3	20966.3	21330.5			
G2.0	20229.2	20336.2	20182.8	20266.7	20098.9	20071.6	20450.8			
G3.0	18553.6	18634.8	18415.2	18554.3	18307.4	18371.6	18637.5			
G4.0	16366.0	16567.8	16298.4	16463.5	16061.1	16138.9	16463.5			
G5.0	13830.5	14044.6	13728.2	13906.2	13572.0	13662.7	13816.8			
G6.0	11072.7	11280.0	10938.4	10992.9	10639.0	10851.1	10956.8			
G7.0	8706.4	8784.1	8560.4	8610.2	8272.7	8359.3	8435.0			
G8.0	6415.0	6724.6	6273.2	6566.4	6117.7	6265.0	6324.3			
G9.0	4858.2	4883.4	4735.4	4758.6	4552.6	4590.8	4641.3			
G10.0	3668.9	3719.3	3570.0	3623.2	3478.6	3497.0	3546.1			
G11.0	2818.5	2841.7	2742.1	2739.4	2645.9	2653.4	2698.4			
G12.0	2266.8	2275.6	2203.4	2218.4	2154.3	2158.4	2198.6			
G13.0	1898.5	1899.2	1841.3	1848.8	1791.5	1810.6	1832.4			
G14.0	1590.3	1586.9	1552.1	1545.3	1511.9	1519.4	1550.1			
G15.0	1379.6	1376.8	1337.3	1340.7	1312.1	1311.4	1340.0			
G16.0	1191.3	1202.9	1156.6	1167.5	1128.6	1148.4	1160.0			
G17.0	1046.8	1038.6	1019.5	1016.8	995.0	999.0	1013.4			
G18.0	915.8	916.5	900.2	902.9	878.3	874.9	892.0			
G19.0	795.8	796.5	790.4	789.0	765.1	761.7	772.0			
G20.0	699.7	703.1	701.7	699.0	677.8	672.4	680.6			
G21.0	611.7	620.6	616.5	617.8	599.4	589.2	599.4			
G22.0	532.6	540.1	536.0	537.4	519.6	514.9	521.0			
G23.0	465.1	471.9	467.8	469.9	456.9	454.9	461.0			
G24.0	403.0	413.9	405.1	409.9	394.2	399.6	401.0			
G25.0	353.9	356.7	356.7	355.3	346.4	349.8	355.3			
G26.0	311.6	314.4	311.6	313.0	305.5	311.0	314.4			
G27.0	274.8	276.2	271.4	272.8	266.6	272.1	278.2			
G28.0	246.9	244.8	238.7	238.7	235.9	243.4	250.3			
G29.0	220.9	219.6	211.4	210.7	209.4	217.5	225.0			
G30.0	195.0	194.4	186.2	183.4	184.8	193.0	198.4			
G31.0	173.9	174.6	167.1	163.0	165.7	171.2	175.9			
G32.0	153.4	155.5	147.3	144.6	148.0	152.1	156.2			
G33.0	136.4	139.1	132.3	128.9	133.0	135.7	139.8			
G34.0	121.4	122.1	118.0	115.9	120.0	122.1	125.5			
G35.0	105.7	108.4	104.3	103.7	106.4	107.8	111.8			
G36.0	94.1	96.2	93.4	92.1	95.5	96.8	100.9			

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 10)

Unit: cd

G\C	C300.0	C310.0	C320.0	C330.0	C340.0	C350.0	C360.0			
G37.0	82.5	84.6	82.5	83.2	84.6	88.7	90.7			
G38.0	73.0	75.0	73.7	73.7	74.3	77.7	82.5			
G39.0	64.8	66.8	66.2	66.2	65.5	68.9	72.3			
G40.0	57.3	59.3	58.7	58.7	58.0	60.7	64.1			
G41.0	51.8	53.2	52.5	52.5	51.2	54.6	57.3			
G42.0	45.7	47.0	47.0	47.7	46.4	47.7	51.2			
G43.0	40.2	42.3	41.6	41.6	40.9	42.3	47.0			
G44.0	35.5	37.5	36.8	37.5	36.8	36.8	41.6			
G45.0	31.4	33.4	32.7	33.4	32.0	32.7	38.2			
G46.0	28.0	29.3	30.0	28.6	28.0	29.3	33.4			
G47.0	24.5	26.6	25.9	25.2	24.5	25.9	30.0			
G48.0	21.8	22.5	23.2	21.8	21.1	22.5	26.6			
G49.0	19.1	20.5	19.8	19.1	18.4	19.1	23.9			
G50.0	17.0	17.0	17.0	16.4	15.7	17.0	20.5			
G51.0	13.6	14.3	15.7	13.6	14.3	13.6	17.0			
G52.0	11.6	12.3	13.0	10.9	10.9	11.6	15.7			
G53.0	9.6	10.9	10.9	10.2	9.6	9.6	14.3			
G54.0	7.5	8.9	9.6	8.2	8.2	7.5	12.3			
G55.0	6.8	8.2	7.5	6.8	6.1	6.8	10.9			
G56.0	4.8	5.5	5.5	5.5	5.5	5.5	9.6			
G57.0	4.1	4.1	5.5	4.1	4.8	4.1	7.5			
G58.0	3.4	3.4	4.8	3.4	3.4	3.4	6.8			
G59.0	2.7	2.7	3.4	2.7	2.0	2.0	6.1			
G60.0	2.0	2.0	2.7	2.0	1.4	2.0	4.8			
G61.0	0.7	1.4	1.4	1.4	1.4	1.4	4.8			
G62.0	1.4	0.7	1.4	1.4	0.0	0.0	3.4			
G63.0	0.7	0.0	0.7	0.0	0.0	0.0	2.7			
G64.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0			
G65.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0			
G66.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4			
G67.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7			
G68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
G69.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
G70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
G71.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
G72.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
G73.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

