



Report No.:

Test Time: 2021-04-07 13:45

Luminaire Property

Luminaire Manufacturer:

Luminaire Description: RAD-S-CIS-9.3000.24.-.40

Luminous Length (mm): -80

Luminous Width (mm): -80

Luminous Height (mm): 72,7

Voltage: 24.0 V

Current: 0.365 A

Power: 8.76 W

Power Factor: 1.000

Photometric Results

CIE Class: Direct

Measurement Flux: 639.3 lm

Downward Ratio: 100%

Total Rated Lamp Lumens: 639.3 lm

Efficiency: 100%

Upward Ratio: 0%

Field Angle(C0/C180,C90/C270,C45/C225,C135/315): 72.2, 72.2, 72.1, 72.3

Beam Angle(C0/C180,C90/C270,C45/C225,C135/315): 39.7, 39.7, 39.6, 39.7

Luminaire Efficacy Rating (LER): 73.03

Central Intensity: 1178.24 cd

Max. Intensity: 1188.82 cd

Pos of Max. Intensity: H180 V2


S/MH(C0/C180): 0.65

S/MH(C90/C270): 0.64

Picture Of Luminaire



Luminous Intensity Distribution Curve



— C0-C180 — C90-C270

C Plane (°):0.0-360.0: 10.0

Test Lab: Svet-lab

Test Type: TYPE C

Temperature:

Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0


Test Device: LSG-1700B

Distance: 9.600 m

Humidity:

Inspector:


Luminous Intensity Distribution Curve




C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Luminous Intensity Distribution Curve(cd/klm)




Isocandela (rectangle)



Imax (100%): 1189 cd

(10%): 119 cd	(16%): 190 cd
(25%): 297 cd	(40%): 476 cd
(63%): 749 cd	(100%): 1189 cd

IsoLux Plot




Mounting Height: 10.0m Max Lux(100%): 11.9 lx

(1%): 0.1 lx	(2%): 0.2 lx
(5%): 0.6 lx	(10%): 1.2 lx
(20%): 2.4 lx	(50%): 5.9 lx
(100%): 11.9 lx	


C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Illuminance at a Distance




Vertical IsoLux Plot



Lowest(m): 1.0m Highest(m): 11.0m Max Lux: 1178.2 lx
 (1%): 11.8 lx (2%): 23.6 lx
 (5%): 58.9 lx (10%): 117.8 lx
 (20%): 235.6 lx (50%): 589.1 lx
 (100%):1178.2 lx

The Average Illuminance Effective Figure



UGR Table


Reflectance:										
Ceiling (cavity)	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Wall	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
Reference plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room dimensions	Viewed crosswise					Viewed endwise				
X=2H Y=2H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
3H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
4H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
6H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
8H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
12H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
X=4H Y=2H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
3H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
4H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
6H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
8H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
12H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
X=8H Y=4H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
6H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
8H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
12H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
X=12H Y=4H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
6H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
8H	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$	-1.\$
Variations with the observer position at spacings:										
S=1.0H	-1.\$/12.5					-1.\$/19.0				
S=1.5H	-1.\$/15.2					-1.\$/21.3				
S=2.0H	-1.\$/17.2					-1.\$/23.1				

Calculate in accordance with CIE Pub.117. The table is revised with 639Im ($8\log(F/F_0) = -1.6$).

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

FLUX DISTRIBUTION TABLE BASED ON THE IESNA LUMINAIRE CLASSIFICATION SYSTEM




ZONE	LUMENS	% LAMP LUMENS
FORWARD LIGHT	314	49.1
FL (0°-30°)	244	38.2
FM (30°-60°)	67	10.4
FH (60°-80°)	3	0.5
FVH (80°-90°)	0	0.0
BACK LIGHT	325	50.9
BL (0°-30°)	254	39.7
BM (30°-60°)	68	10.7
BH (60°-80°)	3	0.5
BVH (80°-90°)	0	0.0
UP LIGHT	0	0.0
UL (90°-100°)	0	0.0
UH (100°-180°)	0	0.0
TRAPPED LIGHT	NA	NA

BUG(Backlight,Uplight,Glare) Rating Base On TM-15-07	
Asymmetrical Luminaire Types (Type I,II,III,IV)	B1 U0 G0
Quadrilateral Symmetrical Luminaire Types (Type V,Area Light)	B1 U0 G0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

LCS Graph



Back Light

Forward Light

Scale= MAX LCS%

Trapped Light:NA,NA

C Plane (°):0.0-360.0: 10.0

Test Lab: Svet-lab

Test Type: TYPE C

Temperature:

Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0

Test Device: LSG-1700B

Distance: 9.600 m

Humidity:

Inspector:

Zonal Lumen

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
0.0-1.0	1169.3	1.1	1.1	0.18	0.18
1.0-2.0	1165.2	3.3	4.5	0.52	0.70
2.0-3.0	1156.7	5.5	10.0	0.87	1.56
3.0-4.0	1144.4	7.7	17.7	1.20	2.76
4.0-5.0	1129.0	9.7	27.4	1.52	4.28
5.0-6.0	1109.6	11.7	39.0	1.82	6.11
6.0-7.0	1087.2	13.5	52.5	2.11	8.22
7.0-8.0	1062.4	15.2	67.7	2.38	10.59
8.0-9.0	1034.4	16.8	84.5	2.62	13.22
9.0-10.0	1004.6	18.2	102.7	2.84	16.06
10.0-11.0	971.6	19.4	122.1	3.04	19.10
11.0-12.0	936.3	20.5	142.6	3.20	22.30
12.0-13.0	900.3	21.4	163.9	3.34	25.64
13.0-14.0	860.8	22.0	186.0	3.45	29.09
14.0-15.0	819.7	22.5	208.5	3.52	32.61
15.0-16.0	777.7	22.8	231.3	3.56	36.17
16.0-17.0	734.3	22.9	254.1	3.58	39.75
17.0-18.0	691.5	22.8	276.9	3.57	43.32
18.0-19.0	647.1	22.5	299.5	3.52	46.84
19.0-20.0	603.2	22.1	321.5	3.45	50.29
20.0-21.0	561.3	21.6	343.1	3.37	53.67
21.0-22.0	519.0	20.9	364.0	3.26	56.93
22.0-23.0	478.4	20.1	384.0	3.14	60.07
23.0-24.0	439.4	19.2	403.3	3.01	63.07
24.0-25.0	401.7	18.3	421.5	2.86	65.93
25.0-26.0	367.3	17.3	438.9	2.71	68.64
26.0-27.0	333.9	16.3	455.2	2.56	71.20
27.0-28.0	302.4	15.3	470.5	2.39	73.59
28.0-29.0	274.0	14.3	484.8	2.24	75.84
29.0-30.0	246.8	13.3	498.2	2.08	77.92
30.0-31.0	221.9	12.3	510.5	1.93	79.85
31.0-32.0	199.1	11.4	521.9	1.78	81.64
32.0-33.0	178.2	10.5	532.4	1.64	83.28
33.0-34.0	159.9	9.7	542.1	1.51	84.79
34.0-35.0	142.7	8.9	551.0	1.39	86.18
35.0-36.0	127.0	8.1	559.1	1.27	87.44

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab


Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Zonal Lumen (Continue 1)

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
36.0-37.0	113.3	7.4	566.4	1.16	88.60
37.0-38.0	100.7	6.7	573.2	1.05	89.65
38.0-39.0	89.6	6.1	579.3	0.96	90.61
39.0-40.0	79.7	5.6	584.8	0.87	91.48
40.0-41.0	70.8	5.0	589.9	0.79	92.26
41.0-42.0	63.2	4.6	594.5	0.72	92.98
42.0-43.0	56.3	4.2	598.6	0.65	93.64
43.0-44.0	50.2	3.8	602.4	0.59	94.23
44.0-45.0	44.9	3.5	605.9	0.54	94.77
45.0-46.0	40.2	3.1	609.0	0.49	95.26
46.0-47.0	36.1	2.9	611.9	0.45	95.71
47.0-48.0	32.4	2.6	614.5	0.41	96.12
48.0-49.0	29.1	2.4	616.9	0.37	96.49
49.0-50.0	26.3	2.2	619.1	0.34	96.83
50.0-51.0	23.7	2.0	621.1	0.31	97.15
51.0-52.0	21.4	1.8	622.9	0.29	97.44
52.0-53.0	19.4	1.7	624.6	0.26	97.70
53.0-54.0	17.6	1.6	626.2	0.24	97.94
54.0-55.0	16.0	1.4	627.6	0.22	98.17
55.0-56.0	14.5	1.3	628.9	0.20	98.37
56.0-57.0	13.1	1.2	630.1	0.19	98.56
57.0-58.0	12.0	1.1	631.2	0.17	98.73
58.0-59.0	10.8	1.0	632.2	0.16	98.89
59.0-60.0	9.7	0.9	633.2	0.14	99.03
60.0-61.0	8.7	0.8	634.0	0.13	99.17
61.0-62.0	7.8	0.8	634.8	0.12	99.28
62.0-63.0	7.0	0.7	635.4	0.11	99.39
63.0-64.0	6.2	0.6	636.0	0.10	99.49
64.0-65.0	5.5	0.5	636.6	0.09	99.57
65.0-66.0	4.9	0.5	637.1	0.08	99.65
66.0-67.0	4.3	0.4	637.5	0.07	99.71
67.0-68.0	3.7	0.4	637.9	0.06	99.77
68.0-69.0	3.2	0.3	638.2	0.05	99.82
69.0-70.0	2.7	0.3	638.5	0.04	99.87
70.0-71.0	2.3	0.2	638.7	0.04	99.90
71.0-72.0	1.8	0.2	638.9	0.03	99.93

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:



C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table

Unit: cd

G\C	C0.0	C10.0	C20.0	C30.0	C40.0	C50.0	C60.0	C70.0	C80.0	C90.0
G0.0	1178.2	1175.3	1175.9	1173.1	1174.1	1171.7	1172.2	1170.7	1171.0	1169.6
G1.0	1165.9	1163.1	1163.7	1161.7	1162.4	1161.3	1163.0	1162.6	1164.5	1164.8
G2.0	1151.6	1147.6	1148.4	1146.3	1148.3	1147.6	1149.7	1151.1	1153.8	1155.5
G3.0	1131.4	1127.7	1128.5	1125.4	1128.2	1128.7	1132.3	1133.9	1138.6	1141.6
G4.0	1110.8	1105.6	1106.6	1104.4	1107.5	1107.8	1112.1	1115.2	1121.3	1124.5
G5.0	1086.7	1081.1	1083.2	1080.0	1083.6	1083.9	1090.5	1093.2	1100.2	1103.9
G6.0	1058.9	1052.6	1053.9	1051.8	1055.8	1056.5	1062.8	1065.8	1075.5	1080.0
G7.0	1029.8	1023.2	1026.2	1022.4	1027.3	1028.0	1036.3	1039.7	1049.1	1054.1
G8.0	998.6	990.1	995.1	989.5	997.8	996.0	1006.7	1007.4	1021.9	1024.9
G9.0	963.8	958.0	958.9	957.7	962.3	964.5	973.5	977.1	988.6	996.0
G10.0	930.0	922.6	925.1	922.5	929.1	930.4	939.8	944.0	957.7	963.9
G11.0	889.2	883.3	886.4	884.0	889.2	892.7	902.6	907.7	920.3	928.6
G12.0	851.7	844.0	847.4	845.3	852.8	855.0	867.0	871.1	885.9	893.1
G13.0	810.8	805.5	809.0	805.7	813.3	816.0	828.7	834.9	848.5	857.8
G14.0	766.8	760.1	763.8	762.7	770.7	772.1	785.0	791.8	807.4	815.7
G15.0	724.0	719.3	723.4	720.5	729.2	732.5	746.0	752.9	767.5	777.5
G16.0	678.9	672.3	676.8	675.9	685.0	688.6	700.8	707.8	724.6	732.9
G17.0	637.6	630.9	635.7	634.8	644.4	648.3	661.0	667.9	683.1	692.8
G18.0	594.6	587.9	592.8	592.2	602.1	606.0	619.1	626.0	643.2	650.5
G19.0	550.4	543.9	549.0	548.4	558.7	562.6	575.9	582.6	599.6	606.8
G20.0	509.1	503.0	508.0	507.8	518.0	522.2	536.8	543.6	558.3	567.3
G21.0	470.9	461.6	470.1	466.8	480.2	481.2	496.9	500.0	519.6	523.1
G22.0	428.9	423.7	430.2	429.2	438.7	443.2	456.6	463.2	476.8	483.9
G23.0	393.9	389.3	393.7	394.9	403.8	407.0	419.5	426.0	440.6	447.8
G24.0	356.2	351.7	357.8	357.6	366.3	370.6	382.9	389.0	401.4	409.8
G25.0	325.2	321.2	325.5	325.3	335.1	339.3	349.6	355.3	368.5	375.0
G26.0	294.9	292.4	296.6	296.2	304.4	308.3	319.7	325.0	336.3	342.1
G27.0	265.5	261.8	266.0	266.6	274.5	278.1	288.9	293.7	304.5	309.7
G28.0	239.6	237.2	241.3	242.0	248.1	251.5	261.6	266.1	276.2	282.3
G29.0	216.8	211.7	217.4	216.0	224.6	225.9	237.5	239.3	250.9	253.1
G30.0	193.7	191.2	194.5	195.2	201.2	203.4	211.9	216.0	225.4	229.6
G31.0	173.8	171.6	175.2	175.3	180.5	183.6	191.4	194.3	202.9	206.9
G32.0	154.9	152.9	156.1	156.3	160.9	164.0	170.1	173.7	181.4	185.1
G33.0	139.2	136.7	139.6	139.6	144.7	146.8	153.1	155.7	162.7	166.0
G34.0	124.3	122.8	124.8	125.2	129.3	131.8	137.7	139.9	146.4	149.2
G35.0	110.4	109.2	110.7	111.0	114.8	117.0	121.8	124.4	130.3	132.7
G36.0	98.5	97.9	99.1	98.8	102.4	104.2	109.3	111.6	116.3	118.3

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 1)

Unit: cd

G\C	C0.0	C10.0	C20.0	C30.0	C40.0	C50.0	C60.0	C70.0	C80.0	C90.0
G37.0	88.3	86.4	88.3	87.6	91.7	92.4	97.4	98.5	104.3	105.0
G38.0	77.8	77.5	78.2	78.1	80.8	82.4	86.5	88.3	92.0	93.5
G39.0	69.8	69.1	69.6	69.9	72.4	73.9	77.1	78.8	82.5	83.8
G40.0	62.0	61.1	61.8	61.7	64.2	65.2	68.4	69.9	72.8	73.9
G41.0	55.3	54.8	55.4	55.5	57.3	58.5	61.4	62.8	65.2	66.3
G42.0	49.7	49.2	49.5	49.5	51.4	52.3	54.9	56.1	58.5	59.5
G43.0	44.1	43.5	44.0	44.0	45.6	46.5	48.9	50.0	52.2	52.9
G44.0	39.7	39.2	39.5	39.8	41.1	41.9	44.1	45.0	46.8	47.5
G45.0	35.6	34.9	35.7	35.5	37.0	37.4	39.6	40.1	42.3	42.4
G46.0	31.8	31.5	32.0	31.9	33.1	33.7	35.4	36.3	37.5	38.3
G47.0	28.8	28.3	28.7	28.8	29.8	30.5	32.0	32.9	34.0	34.7
G48.0	25.9	25.4	25.8	25.7	26.6	27.3	28.7	29.5	30.5	31.2
G49.0	23.5	22.9	23.4	23.4	24.1	24.6	26.1	26.9	27.7	28.3
G50.0	21.4	20.8	21.1	21.2	21.7	22.3	23.7	24.4	25.3	25.8
G51.0	19.3	18.7	19.1	19.1	19.4	20.0	21.3	22.1	22.9	23.5
G52.0	17.5	16.9	17.5	17.3	17.5	18.1	19.3	20.2	20.9	21.4
G53.0	15.9	15.2	15.9	15.6	15.9	16.3	17.6	18.2	19.2	19.5
G54.0	14.3	13.9	14.5	14.2	14.3	14.7	15.9	16.6	17.5	17.9
G55.0	12.9	12.6	13.2	13.0	12.9	13.4	14.4	15.1	16.0	16.5
G56.0	11.7	11.4	11.9	11.6	11.7	12.1	13.0	13.7	14.6	15.1
G57.0	10.6	10.3	10.8	10.7	10.6	10.9	11.8	12.4	13.2	13.9
G58.0	9.5	9.3	9.9	9.6	9.6	9.9	10.7	11.3	12.0	12.8
G59.0	8.4	8.3	8.8	8.6	8.6	8.9	9.6	10.2	10.8	11.5
G60.0	7.5	7.4	7.9	7.8	7.7	7.9	8.7	9.2	9.7	10.4
G61.0	6.7	6.5	7.1	7.0	6.8	7.1	7.8	8.2	8.6	9.1
G62.0	6.0	5.8	6.4	6.2	6.2	6.3	6.9	7.4	7.7	8.0
G63.0	5.4	5.3	5.8	5.6	5.6	5.7	6.2	6.6	6.9	7.0
G64.0	4.7	4.6	5.1	5.0	5.0	5.1	5.6	5.8	6.1	6.1
G65.0	4.1	4.1	4.6	4.4	4.4	4.5	5.0	5.2	5.4	5.3
G66.0	3.6	3.5	3.9	3.8	4.0	4.0	4.4	4.5	4.7	4.5
G67.0	3.1	3.0	3.5	3.3	3.3	3.5	3.8	3.9	4.0	3.9
G68.0	2.6	2.6	3.0	3.0	3.0	3.1	3.3	3.4	3.4	3.4
G69.0	2.0	2.2	2.6	2.5	2.5	2.6	2.7	2.8	2.8	2.8
G70.0	1.6	1.8	2.2	2.1	2.2	2.2	2.2	2.3	2.4	2.4
G71.0	1.2	1.5	1.9	1.8	1.9	1.9	1.9	1.9	1.9	1.9
G72.0	0.8	1.0	1.5	1.5	1.5	1.5	1.4	1.4	1.4	1.5
G73.0	0.4	0.6	1.1	1.1	1.2	1.2	1.0	1.0	1.1	1.1

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 3)

Unit: cd

G\C	C100.0	C110.0	C120.0	C130.0	C140.0	C150.0	C160.0	C170.0	C180.0	C190.0
G0.0	1169.3	1168.6	1167.3	1166.4	1165.8	1166.6	1165.6	1166.3	1178.2	1175.3
G1.0	1166.4	1166.1	1166.3	1165.7	1167.8	1169.6	1171.2	1172.5	1185.8	1183.9
G2.0	1159.3	1159.4	1160.6	1161.2	1165.5	1168.2	1171.8	1174.4	1188.8	1187.6
G3.0	1147.3	1148.3	1150.3	1151.3	1157.9	1162.0	1167.4	1170.8	1187.0	1186.9
G4.0	1132.2	1133.6	1137.1	1138.6	1147.1	1152.6	1159.8	1164.1	1181.2	1181.7
G5.0	1113.4	1115.2	1119.8	1122.0	1132.2	1138.9	1147.7	1153.0	1171.6	1172.7
G6.0	1090.8	1092.8	1098.1	1101.1	1112.8	1120.0	1131.6	1136.9	1156.4	1158.2
G7.0	1066.1	1068.6	1074.9	1078.0	1091.3	1100.0	1112.2	1119.1	1139.7	1141.8
G8.0	1039.3	1040.6	1050.2	1051.2	1067.0	1075.5	1090.1	1095.1	1117.4	1122.3
G9.0	1008.9	1012.7	1019.1	1023.0	1039.1	1048.9	1063.4	1071.1	1093.2	1096.6
G10.0	978.9	981.5	990.1	994.2	1009.9	1021.7	1036.9	1044.9	1067.3	1071.3
G11.0	942.7	946.8	954.6	958.8	977.0	989.2	1003.7	1012.1	1035.3	1040.3
G12.0	909.3	912.0	921.5	926.1	944.7	955.8	972.5	981.1	1004.4	1008.2
G13.0	872.5	875.8	885.1	890.0	909.0	920.3	937.4	946.4	969.7	974.8
G14.0	832.7	835.7	845.4	850.2	869.6	879.4	898.5	906.0	930.7	934.2
G15.0	793.2	796.1	805.7	810.5	830.0	841.4	859.0	867.9	890.8	896.5
G16.0	750.7	753.3	763.0	767.3	786.9	798.2	816.0	824.6	847.5	855.1
G17.0	709.1	713.3	721.1	724.9	744.6	755.4	773.3	781.8	806.3	809.8
G18.0	668.9	671.0	680.6	683.9	703.4	713.7	731.9	740.1	762.2	765.2
G19.0	623.1	626.7	634.6	639.0	656.3	667.9	685.8	692.1	715.0	717.5
G20.0	583.3	584.9	594.3	596.5	615.1	624.3	641.9	650.1	672.3	674.2
G21.0	542.2	542.0	554.5	550.9	572.3	579.4	600.3	602.2	627.5	630.9
G22.0	500.3	502.1	510.1	512.2	528.8	537.3	553.3	561.1	581.3	582.4
G23.0	463.5	465.1	472.5	472.7	490.2	498.2	513.3	519.1	540.1	540.9
G24.0	422.9	424.4	431.1	432.9	447.7	455.3	469.5	476.3	494.3	499.0
G25.0	389.0	390.3	396.9	398.1	412.3	417.5	432.7	436.9	455.7	456.8
G26.0	357.0	356.4	362.5	363.6	376.8	383.3	397.5	401.2	417.3	420.0
G27.0	322.4	322.9	328.7	329.5	342.0	347.5	359.4	364.1	379.1	380.0
G28.0	292.8	294.5	298.5	299.3	310.8	315.6	326.7	331.0	346.5	347.0
G29.0	266.4	264.3	271.5	269.9	282.9	284.7	297.3	298.8	314.5	316.3
G30.0	239.5	239.9	244.2	243.8	253.3	257.2	267.4	270.0	282.2	283.5
G31.0	215.8	216.3	220.2	220.9	229.4	233.0	240.9	244.8	256.0	255.9
G32.0	193.1	193.6	197.1	196.9	205.4	207.5	215.6	218.1	228.5	229.4
G33.0	174.1	173.7	176.9	177.5	184.4	187.1	193.6	196.8	206.2	206.3
G34.0	155.9	156.3	159.2	159.8	165.9	168.2	174.2	176.1	185.8	185.8
G35.0	138.0	138.9	141.0	141.3	146.8	148.6	154.1	156.7	164.4	165.4
G36.0	123.8	123.9	126.6	126.7	131.7	133.2	138.2	140.4	147.6	147.7

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 4)

Unit: cd

G\C	C100.0	C110.0	C120.0	C130.0	C140.0	C150.0	C160.0	C170.0	C180.0	C190.0
G37.0	111.0	109.9	113.4	112.4	118.0	118.0	123.8	124.4	130.9	132.2
G38.0	97.9	98.0	100.0	100.2	104.0	105.0	109.0	110.7	116.6	117.1
G39.0	87.6	87.7	89.6	89.2	93.0	93.9	97.4	98.4	104.1	104.6
G40.0	77.7	77.8	78.9	79.2	81.9	82.6	86.1	87.2	92.1	92.0
G41.0	69.2	69.4	70.7	70.8	73.3	73.9	76.6	77.9	81.8	82.2
G42.0	62.1	61.9	63.4	63.4	65.6	65.8	68.4	69.2	73.0	73.1
G43.0	54.9	55.0	55.9	56.0	58.1	58.2	60.3	61.2	64.2	64.6
G44.0	49.5	49.5	50.2	50.2	51.8	52.2	54.0	54.8	57.4	57.6
G45.0	44.5	44.1	45.2	44.7	46.6	46.4	48.4	48.6	50.6	51.6
G46.0	39.6	39.8	40.1	40.1	41.3	41.7	42.8	43.4	45.4	45.8
G47.0	35.9	35.8	36.2	36.2	37.2	37.5	38.5	39.1	40.9	41.2
G48.0	32.3	32.2	32.4	32.2	33.1	33.4	34.5	34.7	36.4	36.6
G49.0	29.2	29.2	29.3	29.2	29.9	30.1	30.9	31.4	33.0	33.2
G50.0	26.7	26.5	26.6	26.4	27.0	27.3	28.0	28.3	29.7	30.0
G51.0	24.2	24.0	24.0	23.6	24.2	24.2	25.0	25.3	26.8	27.0
G52.0	22.1	21.9	21.7	21.4	21.9	21.9	22.6	22.9	24.3	24.5
G53.0	20.3	19.9	19.8	19.3	19.8	19.8	20.4	20.6	21.8	22.2
G54.0	18.5	18.2	17.8	17.4	17.9	17.9	18.4	18.7	19.8	20.0
G55.0	17.0	16.6	16.0	15.9	16.3	16.2	16.7	16.9	18.0	18.0
G56.0	15.5	15.0	14.6	14.3	14.7	14.7	15.1	15.3	16.0	16.4
G57.0	14.2	13.7	13.2	13.1	13.4	13.3	13.8	13.9	14.6	14.8
G58.0	13.0	12.5	12.1	11.9	12.1	12.2	12.6	12.7	13.2	13.5
G59.0	11.8	11.4	10.8	10.6	11.0	11.0	11.3	11.5	11.9	12.1
G60.0	10.7	10.3	10.0	9.6	10.0	10.0	10.3	10.4	10.8	11.0
G61.0	9.5	9.1	8.9	8.5	8.9	9.0	9.3	9.4	9.7	9.9
G62.0	8.5	8.0	8.0	7.6	8.1	8.1	8.3	8.5	8.8	8.9
G63.0	7.6	7.3	7.2	6.8	7.3	7.2	7.5	7.6	7.8	8.0
G64.0	6.5	6.5	6.3	6.1	6.4	6.4	6.8	6.8	7.0	7.1
G65.0	5.7	5.7	5.7	5.5	5.8	5.9	6.1	6.1	6.3	6.3
G66.0	5.0	5.0	5.1	4.8	5.3	5.2	5.5	5.5	5.6	5.7
G67.0	4.2	4.3	4.4	4.3	4.6	4.6	4.9	4.9	5.0	4.9
G68.0	3.6	3.7	3.9	3.8	4.2	4.1	4.4	4.3	4.5	4.2
G69.0	3.0	3.1	3.4	3.3	3.6	3.6	3.8	3.8	3.9	3.7
G70.0	2.6	2.6	2.9	2.8	3.1	3.2	3.3	3.3	3.5	3.1
G71.0	2.1	2.1	2.5	2.4	2.7	2.8	2.9	2.8	3.0	2.6
G72.0	1.6	1.6	1.9	2.0	2.4	2.4	2.6	2.4	2.5	2.0
G73.0	1.3	1.2	1.5	1.6	2.0	2.0	2.2	2.2	2.0	1.6

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 6)

Unit: cd

G\C	C200.0	C210.0	C220.0	C230.0	C240.0	C250.0	C260.0	C270.0	C280.0	C290.0
G0.0	1175.9	1173.1	1174.1	1171.7	1172.2	1170.7	1171.0	1169.6	1169.3	1168.6
G1.0	1183.7	1181.6	1180.3	1178.7	1177.0	1174.6	1172.7	1170.3	1167.9	1166.1
G2.0	1187.1	1185.2	1183.1	1180.5	1177.8	1174.3	1170.5	1166.9	1162.4	1160.3
G3.0	1185.8	1183.8	1181.1	1178.1	1173.5	1169.5	1163.8	1158.9	1152.6	1149.2
G4.0	1180.3	1178.7	1174.9	1171.3	1165.8	1160.3	1153.1	1147.6	1139.2	1136.4
G5.0	1170.9	1169.8	1165.0	1161.2	1153.8	1148.2	1139.6	1132.7	1123.4	1119.3
G6.0	1156.5	1155.3	1149.5	1145.5	1137.5	1131.5	1120.4	1113.5	1102.6	1098.3
G7.0	1139.9	1138.2	1132.4	1127.3	1118.1	1111.8	1100.4	1091.9	1079.8	1075.3
G8.0	1117.6	1118.5	1109.3	1106.9	1094.7	1088.8	1075.2	1068.4	1052.9	1050.4
G9.0	1094.8	1092.7	1086.1	1081.3	1069.1	1061.7	1047.9	1038.3	1024.1	1019.1
G10.0	1069.6	1067.3	1060.1	1053.8	1042.0	1032.5	1019.4	1008.7	994.0	988.9
G11.0	1037.2	1036.3	1027.4	1021.7	1009.1	1000.3	983.4	972.2	956.6	952.9
G12.0	1004.6	1003.4	995.7	988.1	974.8	965.2	949.4	937.7	921.5	916.0
G13.0	971.1	969.3	959.6	953.4	937.9	927.8	911.3	900.8	882.6	878.8
G14.0	929.4	929.8	919.0	911.1	896.6	886.3	868.8	856.4	839.5	834.2
G15.0	891.0	889.7	877.9	872.0	856.7	846.7	826.2	815.8	798.6	793.5
G16.0	846.6	849.3	832.9	831.3	811.5	803.4	780.3	772.4	750.6	750.2
G17.0	804.7	801.1	790.5	783.1	769.2	757.1	737.8	725.8	708.1	703.8
G18.0	759.7	758.0	745.5	740.1	724.0	711.7	694.7	681.0	663.3	661.3
G19.0	712.1	707.9	697.9	692.2	674.3	664.1	645.5	633.9	616.9	612.9
G20.0	666.1	664.1	654.2	646.5	631.2	620.8	602.8	591.4	575.1	571.1
G21.0	623.2	620.7	609.1	603.4	588.7	578.4	558.9	550.0	532.3	530.2
G22.0	574.8	574.0	562.7	557.0	540.9	531.0	514.5	505.6	489.0	486.9
G23.0	533.3	530.8	519.6	514.0	500.4	491.2	475.0	465.0	450.7	447.2
G24.0	489.4	491.0	476.0	474.8	457.5	451.0	432.1	426.2	409.0	411.1
G25.0	449.1	447.2	438.0	431.6	418.7	411.0	396.2	387.5	374.4	373.6
G26.0	412.4	410.8	401.8	395.7	383.4	374.7	362.4	354.3	341.9	339.9
G27.0	374.6	373.0	363.0	358.8	347.1	339.1	326.1	320.1	307.1	306.7
G28.0	340.5	338.7	331.1	325.6	316.3	308.7	296.5	289.4	279.0	277.2
G29.0	310.0	308.4	299.8	295.9	286.1	279.0	268.9	262.3	251.5	251.1
G30.0	277.8	276.0	268.4	264.7	255.9	250.3	238.8	233.7	224.1	223.7
G31.0	250.6	250.0	242.9	239.5	230.3	225.1	215.5	209.7	202.0	201.8
G32.0	224.3	222.8	216.3	213.3	205.7	201.1	192.2	186.9	179.9	179.0
G33.0	202.3	201.0	194.8	192.4	185.2	180.0	171.9	168.0	160.7	160.9
G34.0	181.2	180.1	175.1	172.1	165.6	161.7	154.2	149.9	144.0	143.6
G35.0	161.0	160.1	155.6	153.1	146.9	143.5	136.6	132.9	127.6	127.4
G36.0	144.5	142.7	138.7	137.1	131.7	127.8	121.5	118.1	113.5	113.3

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 7)

Unit: cd

G\C	C200.0	C210.0	C220.0	C230.0	C240.0	C250.0	C260.0	C270.0	C280.0	C290.0
G37.0	127.4	127.8	122.3	122.1	115.9	114.2	107.5	105.6	100.4	101.3
G38.0	114.0	113.0	109.3	108.0	103.5	101.0	96.1	93.3	89.3	89.5
G39.0	101.4	100.9	97.7	96.4	92.1	90.1	85.4	83.3	79.8	80.0
G40.0	89.5	89.2	86.4	85.3	81.4	79.2	75.5	73.2	70.5	70.4
G41.0	79.9	79.3	76.8	75.8	72.7	70.8	67.1	65.5	62.8	63.0
G42.0	71.5	70.6	68.6	67.4	64.6	63.0	60.0	58.3	56.2	56.4
G43.0	62.9	62.5	60.8	59.7	57.1	55.8	53.1	51.7	49.9	49.9
G44.0	56.4	56.0	54.1	53.5	51.3	49.8	47.3	46.3	44.5	44.8
G45.0	49.7	50.1	48.2	47.8	45.2	44.7	42.1	41.3	39.5	40.1
G46.0	44.8	44.5	43.1	42.4	40.7	39.7	37.9	36.7	35.4	35.7
G47.0	40.3	40.1	38.8	38.2	36.4	35.5	33.9	33.0	31.8	32.0
G48.0	35.8	35.6	34.5	33.8	32.4	31.6	30.0	29.2	28.4	28.5
G49.0	32.3	32.2	31.1	30.7	29.1	28.3	27.0	26.4	25.6	25.7
G50.0	29.3	29.2	28.0	27.6	26.3	25.5	24.2	23.6	22.9	23.1
G51.0	26.3	26.3	25.4	24.8	23.5	22.9	21.7	21.1	20.5	20.7
G52.0	23.9	23.8	23.0	22.5	21.2	20.6	19.6	19.1	18.5	18.8
G53.0	21.7	21.6	20.8	20.3	19.0	18.6	17.5	17.3	16.7	17.0
G54.0	19.8	19.6	18.9	18.1	17.2	16.7	15.9	15.6	15.2	15.3
G55.0	18.0	17.9	17.1	16.6	15.6	15.2	14.4	14.1	13.8	13.9
G56.0	16.4	16.3	15.5	14.9	14.0	13.7	13.0	12.7	12.4	12.5
G57.0	15.0	14.9	14.1	13.6	12.7	12.4	11.9	11.5	11.3	11.4
G58.0	13.8	13.7	12.8	12.2	11.7	11.4	10.8	10.5	10.2	10.4
G59.0	12.3	12.5	11.5	11.0	10.6	10.2	9.8	9.4	9.2	9.4
G60.0	11.2	11.4	10.3	9.9	9.6	9.2	8.8	8.5	8.2	8.4
G61.0	10.1	10.1	9.2	8.9	8.5	8.4	7.9	7.6	7.4	7.5
G62.0	9.0	8.9	8.2	8.0	7.7	7.4	7.1	6.9	6.7	6.8
G63.0	8.1	7.9	7.4	7.2	6.9	6.7	6.3	6.3	6.1	6.1
G64.0	7.2	6.9	6.4	6.3	6.1	6.0	5.8	5.7	5.4	5.2
G65.0	6.4	6.0	5.7	5.7	5.5	5.5	5.2	5.2	4.9	4.6
G66.0	5.4	5.2	5.1	5.0	4.9	4.8	4.6	4.5	4.3	4.1
G67.0	4.7	4.5	4.3	4.4	4.3	4.3	4.1	3.9	3.7	3.6
G68.0	4.0	3.9	3.7	3.9	3.8	3.8	3.5	3.4	3.2	3.0
G69.0	3.4	3.3	3.2	3.4	3.3	3.3	3.0	3.0	2.8	2.6
G70.0	2.9	2.7	2.7	2.8	2.8	2.8	2.7	2.6	2.4	2.1
G71.0	2.5	2.4	2.2	2.3	2.3	2.4	2.2	2.1	2.0	1.8
G72.0	2.0	1.9	1.7	1.8	1.9	2.0	1.9	1.7	1.6	1.5
G73.0	1.5	1.5	1.3	1.4	1.5	1.6	1.5	1.4	1.3	1.0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 9)

Unit: cd

G\C	C300.0	C310.0	C320.0	C330.0	C340.0	C350.0	C360.0			
G0.0	1167.3	1166.4	1165.8	1166.6	1165.6	1166.3	1178.2			
G1.0	1163.8	1162.2	1159.5	1158.7	1155.9	1155.5	1165.9			
G2.0	1156.9	1154.1	1150.0	1147.4	1143.1	1141.5	1151.6			
G3.0	1145.0	1141.8	1135.2	1131.9	1126.0	1123.5	1131.4			
G4.0	1130.8	1126.4	1118.1	1113.7	1107.3	1103.2	1110.8			
G5.0	1112.9	1108.7	1099.1	1093.8	1085.0	1081.5	1086.7			
G6.0	1090.2	1085.7	1075.3	1068.0	1057.7	1053.4	1058.9			
G7.0	1067.1	1061.7	1050.0	1042.0	1031.6	1026.8	1029.8			
G8.0	1039.4	1036.1	1020.8	1014.5	1000.4	996.5	998.6			
G9.0	1011.6	1005.4	990.2	982.0	968.6	962.9	963.8			
G10.0	979.8	973.2	958.6	948.2	935.7	928.1	930.0			
G11.0	942.2	937.0	919.8	910.4	895.8	889.5	889.2			
G12.0	907.0	899.8	883.8	872.2	859.2	852.5	851.7			
G13.0	867.9	862.5	844.3	834.5	819.0	812.5	810.8			
G14.0	824.9	820.0	801.3	791.2	775.5	769.1	766.8			
G15.0	784.3	777.8	760.5	748.8	734.9	727.1	724.0			
G16.0	738.7	736.6	715.2	707.7	689.7	686.1	678.9			
G17.0	694.6	688.8	671.3	662.2	646.4	641.3	637.6			
G18.0	652.1	646.5	629.6	618.9	603.3	598.5	594.6			
G19.0	604.1	600.6	582.0	573.6	558.8	554.1	550.4			
G20.0	562.8	557.3	541.4	533.2	519.1	514.7	509.1			
G21.0	522.2	516.9	501.9	492.1	478.8	474.4	470.9			
G22.0	477.7	474.4	458.5	450.7	438.4	434.1	428.9			
G23.0	440.0	435.5	422.0	413.2	402.9	398.9	393.9			
G24.0	399.2	400.2	383.9	379.0	364.5	364.1	356.2			
G25.0	365.5	363.4	349.7	342.2	332.8	329.9	325.2			
G26.0	333.8	330.6	319.0	312.0	303.1	299.2	294.9			
G27.0	301.2	298.5	287.7	281.1	272.9	269.5	265.5			
G28.0	272.5	269.8	260.0	254.8	246.3	244.1	239.6			
G29.0	246.9	244.4	235.4	229.4	221.7	219.7	216.8			
G30.0	220.1	217.8	208.7	204.0	197.2	195.4	193.7			
G31.0	197.6	196.4	188.1	183.8	177.5	176.1	173.8			
G32.0	176.1	175.2	167.6	162.9	158.0	156.8	154.9			
G33.0	157.4	156.7	150.5	146.3	141.1	140.3	139.2			
G34.0	141.3	140.0	134.3	130.6	126.3	125.8	124.3			
G35.0	125.3	124.2	119.0	115.7	112.0	111.1	110.4			
G36.0	111.6	111.1	106.1	103.6	99.8	99.5	98.5			

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:


Candlepower Table (Continue 10)

Unit: cd

G\C	C300.0	C310.0	C320.0	C330.0	C340.0	C350.0	C360.0			
G37.0	98.7	98.8	93.9	92.1	88.3	89.1	88.3			
G38.0	87.8	87.6	83.6	81.5	78.5	78.5	77.8			
G39.0	78.4	78.3	74.7	72.9	70.3	70.4	69.8			
G40.0	69.4	69.3	66.2	64.6	62.3	62.6	62.0			
G41.0	62.2	61.8	59.4	57.7	55.6	56.2	55.3			
G42.0	55.3	55.4	53.1	51.8	50.0	50.6	49.7			
G43.0	49.2	48.9	47.2	46.1	44.5	44.9	44.1			
G44.0	43.8	44.1	42.3	41.5	40.0	40.6	39.7			
G45.0	39.1	39.7	37.8	37.2	35.8	36.8	35.6			
G46.0	35.2	35.3	34.0	33.3	32.4	33.0	31.8			
G47.0	31.6	32.0	30.9	30.2	29.2	29.9	28.8			
G48.0	28.3	28.7	27.8	27.2	26.4	26.7	25.9			
G49.0	25.5	26.0	25.2	24.7	23.9	24.3	23.5			
G50.0	23.1	23.7	22.8	22.5	21.8	22.2	21.4			
G51.0	20.8	21.2	20.6	20.4	19.7	19.9	19.3			
G52.0	18.8	19.3	18.8	18.7	18.0	18.0	17.5			
G53.0	16.9	17.5	17.0	17.2	16.3	16.3	15.9			
G54.0	15.4	15.9	15.5	15.7	14.9	14.7	14.3			
G55.0	14.0	14.4	14.1	14.5	13.6	13.4	12.9			
G56.0	12.6	12.9	12.8	13.2	12.2	12.0	11.7			
G57.0	11.4	11.7	11.5	12.1	11.1	10.9	10.6			
G58.0	10.4	10.7	10.5	10.9	10.0	9.9	9.5			
G59.0	9.4	9.6	9.3	9.7	8.9	8.8	8.4			
G60.0	8.5	8.7	8.4	8.6	8.0	7.8	7.5			
G61.0	7.6	7.9	7.4	7.6	7.0	7.0	6.7			
G62.0	6.7	7.0	6.7	6.5	6.1	6.2	6.0			
G63.0	6.1	6.3	5.9	5.7	5.4	5.5	5.4			
G64.0	5.4	5.6	5.0	4.9	4.6	4.8	4.7			
G65.0	4.8	4.9	4.3	4.2	3.9	4.3	4.1			
G66.0	4.3	4.3	3.7	3.6	3.4	3.6	3.6			
G67.0	3.6	3.6	3.1	3.0	2.8	3.1	3.1			
G68.0	3.2	3.1	2.6	2.5	2.3	2.5	2.6			
G69.0	2.6	2.4	2.0	2.1	1.8	2.1	2.0			
G70.0	2.2	1.9	1.6	1.7	1.4	1.6	1.6			
G71.0	1.6	1.5	1.2	1.3	1.0	1.3	1.2			
G72.0	1.2	1.1	0.9	0.8	0.7	0.9	0.8			
G73.0	1.0	0.8	0.5	0.4	0.3	0.6	0.4			

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

[illegible]

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector: