



Report No.:

Test Time: 2021-04-13 08:04

Luminaire Property

Luminaire Manufacturer:

Luminaire Description: RAD-S-CIS-18.3000.24.-.40

Luminous Length (mm): -100

Luminous Width (mm): -100

Luminous Height (mm): 72.7

Voltage: 24.0 V

Current: 0.803 A

Power: 19.27 W

Power Factor: 1.000

Photometric Results

CIE Class: Direct

Measurement Flux: 1427.2 lm

Downward Ratio: 100%

Total Rated Lamp Lumens: 1427.2 lm

Efficiency: 100%

Upward Ratio: 0%

Field Angle(C0/C180,C90/C270,C45/C225,C135/315): 72.1, 72.0, 72.1, 72.1

Beam Angle(C0/C180,C90/C270,C45/C225,C135/315): 39.9, 39.9, 40.0, 40.0

Luminaire Efficacy Rating (LER): 74.11

Central Intensity: 2637.04 cd

Max. Intensity: 2644.05 cd

Pos of Max. Intensity: H180 V1


S/MH(C0/C180): 0.65

S/MH(C90/C270): 0.65

Picture Of Luminaire



Luminous Intensity Distribution Curve



— C0-C180 — C90-C270

C Plane (°):0.0-360.0: 10.0

Test Lab: Svet-lab

Test Type: TYPE C

Temperature:

Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0



Test Device: LSG-1700B

Distance: 9.600 m

Humidity:

Inspector:


Luminous Intensity Distribution Curve




C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Luminous Intensity Distribution Curve(cd/klm)




Isocandela (rectangle)



Imax (100%): 2644 cd

(10%): 264 cd	(16%): 423 cd
(25%): 661 cd	(40%): 1058 cd
(63%): 1666 cd	(100%): 2644 cd

IsoLux Plot




Mounting Height: 10.0m Max Lux(100%): 26.4 lx	
(1%): 0.3 lx	(2%): 0.5 lx
(5%): 1.3 lx	(10%): 2.6 lx
(20%): 5.3 lx	(50%): 13.2 lx
(100%): 26.4 lx	


C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Illuminance at a Distance




Vertical IsoLux Plot



Lowest(m): 1.0m Highest(m): 11.0m Max Lux: 2637.0 lx
 (1%): 26.4 lx (2%): 52.7 lx
 (5%): 131.9 lx (10%): 263.7 lx
 (20%): 527.4 lx (50%): 1318.5 lx
 (100%): 2637.0 lx

The Average Illuminance Effective Figure



UGR Table


Reflectance:										
Ceiling (cavity)	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Wall	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
Reference plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Room dimensions	Viewed crosswise					Viewed endwise				
X=2H Y=2H	20.0	20.8	20.3	21.0	21.3	20.5	21.3	20.8	21.5	21.8
3H	19.9	20.6	20.1	20.8	21.1	20.4	21.1	20.7	21.3	21.6
4H	19.8	20.5	20.1	20.7	21.0	20.3	21.0	20.6	21.2	21.5
6H	19.7	20.3	20.0	20.6	20.9	20.2	20.8	20.5	21.1	21.4
8H	19.7	20.3	20.0	20.6	20.9	20.2	20.8	20.5	21.1	21.4
12H	19.6	20.2	20.0	20.5	20.8	20.1	20.7	20.5	21.0	21.3
X=4H Y=2H	19.8	20.5	20.1	20.7	21.0	20.3	21.0	20.6	21.2	21.5
3H	19.6	20.2	19.9	20.5	20.8	20.1	20.7	20.4	21.0	21.3
4H	19.5	20.0	19.9	20.4	20.7	20.0	20.5	20.4	20.9	21.2
6H	19.4	19.9	19.8	20.2	20.6	19.9	20.4	20.3	20.7	21.1
8H	19.4	19.8	19.8	20.2	20.6	19.9	20.3	20.3	20.7	21.1
12H	19.3	19.7	19.8	20.1	20.5	19.8	20.2	20.3	20.6	21.0
X=8H Y=4H	19.4	19.8	19.8	20.2	20.6	19.9	20.3	20.3	20.7	21.1
6H	19.3	19.6	19.7	20.0	20.5	19.8	20.1	20.2	20.5	21.0
8H	19.2	19.5	19.7	20.0	20.4	19.7	20.0	20.2	20.5	21.0
12H	19.2	19.4	19.7	19.9	20.4	19.7	19.9	20.2	20.4	20.9
X=12H Y=4H	19.3	19.7	19.8	20.1	20.5	19.8	20.2	20.3	20.6	21.0
6H	19.2	19.5	19.7	20.0	20.4	19.7	20.0	20.2	20.5	21.0
8H	19.2	19.4	19.7	19.9	20.4	19.7	19.9	20.2	20.4	20.9
Variations with the observer position at spacings:										
S=1.0H	+5.5/-1.\$					+5.4/-1.\$				
S=1.5H	+8.8/-1.\$					+8.6/-1.\$				
S=2.0H	+10.8/-1.\$					+10.7/-1.\$				

Calculate in accordance with CIE Pub.117. The table is revised with 1427lm ($8\log(F/F_0) = 1.2$).

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

FLUX DISTRIBUTION TABLE BASED ON THE IESNA LUMINAIRE CLASSIFICATION SYSTEM




ZONE	LUMENS	% LAMP LUMENS
FORWARD LIGHT	696	48.7
FL (0°-30°)	544	38.1
FM (30°-60°)	143	10.0
FH (60°-80°)	9	0.6
FVH (80°-90°)	0	0.0
BACK LIGHT	732	51.3
BL (0°-30°)	571	40.0
BM (30°-60°)	152	10.6
BH (60°-80°)	9	0.6
BVH (80°-90°)	0	0.0
UP LIGHT	0	0.0
UL (90°-100°)	0	0.0
UH (100°-180°)	0	0.0
TRAPPED LIGHT	NA	NA

BUG(Backlight,Uplight,Glare) Rating Base On TM-15-07	
Asymmetrical Luminaire Types (Type I,II,III,IV)	B2 U0 G0
Quadrilateral Symmetrical Luminaire Types (Type V,Area Light)	B2 U0 G0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

LCS Graph



Back Light

Forward Light

Scale= MAX LCS%

Trapped Light:NA,NA

C Plane (°):0.0-360.0: 10.0

Test Lab: Svet-lab

Test Type: TYPE C

Temperature:

Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0

Test Device: LSG-1700B

Distance: 9.600 m

Humidity:

Inspector:

Zonal Lumen

Gamma [°]	I _{mean} [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
0.0-1.0	2606.8	2.5	2.5	0.17	0.17
1.0-2.0	2597.6	7.5	10.0	0.52	0.70
2.0-3.0	2579.0	12.3	22.3	0.86	1.56
3.0-4.0	2552.7	17.1	39.4	1.20	2.76
4.0-5.0	2519.5	21.7	61.1	1.52	4.28
5.0-6.0	2476.7	26.0	87.1	1.82	6.10
6.0-7.0	2427.5	30.1	117.2	2.11	8.21
7.0-8.0	2373.5	34.0	151.2	2.38	10.59
8.0-9.0	2312.4	37.5	188.7	2.63	13.22
9.0-10.0	2247.2	40.7	229.3	2.85	16.07
10.0-11.0	2174.7	43.5	272.8	3.05	19.12
11.0-12.0	2097.0	45.8	318.7	3.21	22.33
12.0-13.0	2017.7	47.9	366.5	3.36	25.68
13.0-14.0	1930.0	49.4	416.0	3.46	29.15
14.0-15.0	1838.4	50.5	466.4	3.54	32.68
15.0-16.0	1744.8	51.1	517.6	3.58	36.27
16.0-17.0	1647.5	51.3	568.9	3.60	39.86
17.0-18.0	1551.5	51.2	620.0	3.58	43.45
18.0-19.0	1452.1	50.5	670.6	3.54	46.99
19.0-20.0	1353.3	49.5	720.1	3.47	50.46
20.0-21.0	1258.9	48.3	768.4	3.39	53.84
21.0-22.0	1163.6	46.8	815.2	3.28	57.12
22.0-23.0	1072.0	45.0	860.2	3.15	60.27
23.0-24.0	983.8	43.0	903.2	3.01	63.29
24.0-25.0	898.7	40.9	944.1	2.86	66.15
25.0-26.0	820.7	38.7	982.8	2.71	68.87
26.0-27.0	745.1	36.5	1019.3	2.55	71.42
27.0-28.0	674.0	34.1	1053.4	2.39	73.81
28.0-29.0	609.9	31.9	1085.3	2.24	76.05
29.0-30.0	548.3	29.6	1114.9	2.07	78.12
30.0-31.0	492.5	27.4	1142.4	1.92	80.04
31.0-32.0	441.1	25.3	1167.6	1.77	81.82
32.0-33.0	393.8	23.2	1190.8	1.63	83.44
33.0-34.0	353.0	21.4	1212.2	1.50	84.94
34.0-35.0	314.3	19.5	1231.7	1.37	86.31
35.0-36.0	279.2	17.8	1249.5	1.25	87.55

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab


Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Zonal Lumen (Continue 1)

Gamma [°]	Imean [cd]	Zonal Flux [lm]	Sum Zonal Flux [lm]	Rel Zonal Flux [%]	Sum Rel Zonal Flux [%]
36.0-37.0	248.5	16.2	1265.7	1.14	88.69
37.0-38.0	220.2	14.7	1280.4	1.03	89.72
38.0-39.0	195.6	13.4	1293.8	0.94	90.65
39.0-40.0	173.4	12.1	1305.9	0.85	91.50
40.0-41.0	153.5	10.9	1316.8	0.77	92.27
41.0-42.0	136.7	9.9	1326.7	0.70	92.96
42.0-43.0	121.3	9.0	1335.7	0.63	93.59
43.0-44.0	107.8	8.1	1343.8	0.57	94.16
44.0-45.0	96.2	7.4	1351.2	0.52	94.68
45.0-46.0	85.7	6.7	1357.9	0.47	95.15
46.0-47.0	76.7	6.1	1364.0	0.43	95.58
47.0-48.0	68.7	5.6	1369.6	0.39	95.97
48.0-49.0	61.7	5.1	1374.7	0.35	96.32
49.0-50.0	55.7	4.6	1379.3	0.33	96.65
50.0-51.0	50.3	4.3	1383.6	0.30	96.95
51.0-52.0	45.4	3.9	1387.5	0.27	97.22
52.0-53.0	41.3	3.6	1391.1	0.25	97.47
53.0-54.0	37.5	3.3	1394.4	0.23	97.70
54.0-55.0	34.3	3.1	1397.4	0.21	97.92
55.0-56.0	31.3	2.8	1400.3	0.20	98.12
56.0-57.0	28.6	2.6	1402.9	0.18	98.30
57.0-58.0	26.3	2.4	1405.3	0.17	98.47
58.0-59.0	24.1	2.3	1407.6	0.16	98.63
59.0-60.0	22.0	2.1	1409.6	0.15	98.77
60.0-61.0	20.1	1.9	1411.6	0.13	98.91
61.0-62.0	18.2	1.8	1413.3	0.12	99.03
62.0-63.0	16.6	1.6	1414.9	0.11	99.14
63.0-64.0	15.1	1.5	1416.4	0.10	99.25
64.0-65.0	13.7	1.4	1417.8	0.10	99.34
65.0-66.0	12.5	1.2	1419.0	0.09	99.43
66.0-67.0	11.3	1.1	1420.2	0.08	99.51
67.0-68.0	10.1	1.0	1421.2	0.07	99.58
68.0-69.0	9.1	0.9	1422.1	0.06	99.65
69.0-70.0	8.1	0.8	1422.9	0.06	99.70
70.0-71.0	7.2	0.7	1423.7	0.05	99.76
71.0-72.0	6.3	0.7	1424.3	0.05	99.80

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:



C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table

Unit: cd

G\C	C0.0	C10.0	C20.0	C30.0	C40.0	C50.0	C60.0	C70.0	C80.0	C90.0
G0.0	2637.0	2631.1	2629.6	2623.6	2623.6	2617.8	2616.6	2611.2	2611.1	2605.8
G1.0	2620.1	2612.8	2609.1	2603.7	2601.9	2597.9	2596.1	2592.9	2593.2	2590.6
G2.0	2594.6	2586.2	2583.0	2575.6	2575.3	2570.4	2571.1	2567.5	2569.9	2567.5
G3.0	2558.6	2549.1	2545.9	2539.6	2538.1	2534.6	2534.8	2531.9	2536.0	2536.2
G4.0	2520.1	2509.6	2506.2	2498.1	2499.0	2494.2	2497.1	2494.6	2500.2	2499.5
G5.0	2473.4	2459.9	2459.6	2449.0	2450.2	2445.9	2451.2	2447.7	2454.3	2455.1
G6.0	2414.2	2402.6	2399.9	2392.0	2394.7	2390.2	2394.4	2393.0	2401.5	2402.7
G7.0	2354.7	2341.5	2339.8	2331.7	2335.6	2331.2	2336.5	2335.9	2346.1	2347.7
G8.0	2292.0	2272.7	2278.6	2263.5	2274.6	2264.0	2276.8	2270.5	2288.5	2284.7
G9.0	2214.9	2201.6	2202.0	2193.1	2199.9	2195.2	2204.6	2203.2	2217.5	2219.9
G10.0	2142.4	2128.5	2130.6	2121.8	2129.8	2125.5	2136.4	2135.8	2151.4	2153.6
G11.0	2058.4	2040.7	2048.0	2039.0	2044.6	2041.1	2052.8	2053.1	2069.3	2075.6
G12.0	1972.8	1960.4	1964.3	1955.9	1965.2	1963.1	1975.3	1976.7	1992.8	1996.8
G13.0	1888.5	1873.2	1880.5	1869.4	1878.7	1877.1	1894.2	1893.3	1913.1	1914.4
G14.0	1788.7	1778.1	1781.0	1770.7	1784.9	1780.1	1797.4	1798.2	1818.8	1824.2
G15.0	1699.3	1684.1	1691.4	1681.1	1692.8	1692.1	1710.9	1711.2	1733.6	1734.7
G16.0	1594.8	1583.5	1587.4	1581.0	1594.1	1593.8	1609.5	1613.3	1632.6	1636.9
G17.0	1502.6	1486.3	1495.3	1484.6	1503.1	1498.5	1516.0	1518.2	1538.1	1542.6
G18.0	1405.4	1393.1	1399.4	1392.1	1406.4	1406.8	1425.5	1427.4	1446.9	1451.1
G19.0	1304.6	1292.7	1299.6	1288.6	1307.3	1307.7	1326.6	1329.2	1348.2	1352.5
G20.0	1210.1	1199.0	1205.6	1199.9	1214.2	1214.8	1232.8	1236.4	1255.0	1259.1
G21.0	1121.8	1100.7	1118.4	1101.4	1127.3	1120.3	1145.5	1137.8	1167.1	1163.1
G22.0	1028.8	1017.3	1025.7	1017.8	1031.3	1033.8	1048.8	1053.8	1069.6	1073.7
G23.0	943.4	932.7	941.0	934.0	950.4	949.1	968.0	971.8	986.9	990.4
G24.0	859.0	848.4	856.5	850.2	863.0	864.9	879.1	882.1	896.8	900.4
G25.0	782.8	771.8	780.6	778.2	790.3	787.9	805.4	804.6	822.7	825.9
G26.0	714.6	703.5	712.1	706.3	721.4	719.2	735.6	734.5	749.6	751.2
G27.0	640.8	633.7	639.0	636.5	647.8	648.3	660.9	662.9	676.3	678.2
G28.0	581.3	572.1	579.8	574.9	588.0	585.8	600.5	599.7	611.9	616.3
G29.0	523.9	512.9	522.8	515.3	529.5	525.4	542.2	538.2	554.4	550.9
G30.0	468.5	461.4	467.7	463.1	473.5	471.8	485.2	484.1	496.9	498.9
G31.0	422.1	416.1	421.1	417.3	424.6	426.1	437.4	437.4	446.7	448.3
G32.0	373.8	368.6	373.3	372.0	377.9	379.3	387.6	388.2	398.1	398.8
G33.0	335.8	331.2	335.1	331.8	337.2	339.0	346.5	348.8	357.5	356.5
G34.0	299.4	294.8	298.5	297.4	302.6	303.8	311.4	312.9	319.3	320.1
G35.0	265.1	260.6	265.1	262.1	267.8	267.4	276.0	275.4	281.4	282.0
G36.0	237.1	233.3	235.3	233.9	238.6	239.0	245.4	246.2	251.8	252.0

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 1)

Unit: cd

G\C	C0.0	C10.0	C20.0	C30.0	C40.0	C50.0	C60.0	C70.0	C80.0	C90.0
G37.0	210.6	204.9	210.0	206.8	213.0	211.6	219.5	217.9	225.0	221.6
G38.0	185.1	182.8	185.4	183.6	188.2	187.8	193.9	193.5	197.7	197.9
G39.0	165.0	163.3	164.5	163.7	166.8	166.9	172.1	171.7	176.7	177.0
G40.0	145.8	143.7	145.6	144.4	147.3	147.5	152.0	151.9	155.9	155.1
G41.0	129.9	127.9	129.9	129.0	130.8	131.1	134.9	135.6	138.3	138.4
G42.0	116.5	114.2	115.6	114.8	116.9	117.2	120.5	120.4	123.5	123.0
G43.0	103.1	101.4	102.6	101.8	103.8	103.8	106.7	106.7	109.3	108.8
G44.0	92.2	90.8	91.7	91.3	92.6	93.1	95.4	95.5	97.4	97.6
G45.0	83.0	80.8	82.4	81.2	83.2	82.5	85.4	84.8	87.3	86.5
G46.0	74.3	72.6	73.3	72.8	74.1	73.8	76.2	75.7	77.7	77.4
G47.0	66.7	65.7	66.0	65.7	66.4	66.5	68.1	68.1	69.7	69.8
G48.0	59.8	58.5	59.0	58.8	59.4	59.7	61.0	60.8	62.3	62.4
G49.0	54.3	53.4	53.5	53.2	53.4	53.8	55.0	55.0	56.2	56.1
G50.0	49.5	48.5	48.4	48.4	48.5	48.8	49.8	49.9	50.8	51.1
G51.0	44.6	43.5	43.9	43.4	43.7	43.7	44.8	44.8	45.7	45.6
G52.0	41.0	40.0	40.0	39.7	39.7	40.1	40.8	40.8	41.5	41.3
G53.0	37.5	36.3	36.5	36.1	36.2	36.2	37.3	37.0	37.8	37.4
G54.0	34.1	33.3	33.2	33.0	32.8	33.0	33.8	33.9	34.4	34.0
G55.0	31.4	30.8	30.4	30.1	29.9	30.2	31.2	31.1	31.4	31.2
G56.0	28.6	28.1	27.7	27.6	27.2	27.5	28.3	28.4	28.5	28.4
G57.0	26.3	25.8	25.6	25.2	24.9	25.0	26.1	26.0	26.3	26.0
G58.0	24.1	23.8	23.5	23.1	22.7	23.0	24.0	24.0	24.0	24.0
G59.0	21.9	21.5	21.4	21.0	20.5	20.8	21.7	21.7	21.9	21.9
G60.0	20.0	19.6	19.6	19.3	18.8	19.0	19.9	19.8	20.0	20.0
G61.0	18.1	17.7	17.7	17.4	16.9	17.2	18.0	17.7	18.0	18.1
G62.0	16.4	16.1	16.1	15.8	15.4	15.8	16.4	16.2	16.3	16.6
G63.0	15.1	14.6	14.7	14.3	14.1	14.4	14.9	14.7	15.0	15.1
G64.0	13.6	13.3	13.3	13.1	12.7	12.9	13.4	13.3	13.6	13.7
G65.0	12.4	12.1	12.1	11.8	11.6	11.7	12.1	12.1	12.4	12.5
G66.0	11.2	10.9	11.0	10.6	10.6	10.6	11.0	10.8	11.4	11.2
G67.0	10.1	9.9	9.8	9.6	9.3	9.5	9.8	9.8	10.2	10.3
G68.0	9.0	8.9	8.9	8.7	8.4	8.5	8.8	8.8	9.3	9.4
G69.0	7.9	7.8	7.9	7.7	7.5	7.5	7.8	7.8	8.3	8.3
G70.0	7.1	7.0	7.1	6.8	6.5	6.7	7.0	7.0	7.7	7.5
G71.0	6.3	6.2	6.3	6.1	5.8	5.8	6.2	6.1	6.8	6.7
G72.0	5.5	5.4	5.4	5.3	5.0	5.0	5.3	5.4	6.0	5.8
G73.0	4.8	4.8	4.7	4.5	4.3	4.2	4.4	4.7	5.3	5.2

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 3)

Unit: cd

G\C	C100.0	C110.0	C120.0	C130.0	C140.0	C150.0	C160.0	C170.0	C180.0	C190.0
G0.0	2605.1	2601.6	2597.5	2594.0	2592.3	2591.3	2589.5	2589.5	2637.0	2631.1
G1.0	2592.1	2590.6	2586.8	2585.2	2586.7	2587.0	2589.9	2591.3	2644.0	2641.4
G2.0	2571.4	2571.2	2569.9	2568.9	2572.3	2575.3	2581.1	2584.5	2640.6	2640.7
G3.0	2540.9	2542.6	2541.1	2541.8	2549.5	2553.1	2563.1	2568.1	2627.4	2630.5
G4.0	2507.2	2508.6	2509.3	2510.5	2519.4	2526.6	2538.5	2546.1	2607.6	2611.3
G5.0	2464.7	2467.0	2468.3	2470.9	2483.5	2491.5	2505.0	2514.2	2580.4	2586.2
G6.0	2413.9	2416.4	2418.7	2420.4	2437.5	2446.9	2462.5	2470.8	2540.3	2548.5
G7.0	2360.3	2362.7	2367.1	2371.6	2388.6	2397.9	2416.9	2427.5	2498.5	2506.4
G8.0	2305.0	2302.3	2310.6	2310.3	2334.4	2341.7	2366.8	2372.4	2442.6	2459.3
G9.0	2236.6	2240.1	2247.1	2251.4	2271.3	2281.1	2302.4	2313.6	2388.4	2401.0
G10.0	2171.4	2176.1	2183.9	2188.7	2206.3	2218.0	2241.2	2252.6	2325.4	2338.2
G11.0	2092.1	2101.1	2106.6	2111.1	2132.0	2141.4	2168.3	2177.7	2253.1	2266.6
G12.0	2018.6	2024.6	2033.7	2034.3	2056.1	2068.8	2094.3	2106.3	2178.9	2195.9
G13.0	1937.1	1943.9	1952.6	1957.6	1980.5	1988.3	2017.8	2026.4	2102.0	2115.6
G14.0	1848.1	1854.8	1863.5	1865.3	1888.0	1895.4	1923.5	1933.0	2008.3	2026.3
G15.0	1759.9	1767.0	1775.6	1780.8	1803.4	1809.3	1837.6	1846.8	1921.1	1936.3
G16.0	1663.5	1670.9	1681.3	1685.0	1706.5	1710.8	1736.1	1749.4	1823.0	1846.9
G17.0	1573.8	1580.9	1589.3	1590.5	1611.3	1614.3	1644.3	1652.5	1730.6	1740.4
G18.0	1478.3	1486.1	1499.4	1498.8	1514.6	1521.3	1546.7	1558.3	1632.3	1645.8
G19.0	1375.3	1386.9	1395.3	1394.7	1414.3	1415.6	1444.7	1450.9	1527.4	1541.3
G20.0	1285.4	1293.3	1305.0	1305.1	1323.5	1322.9	1346.9	1358.1	1427.2	1444.6
G21.0	1196.8	1196.7	1210.6	1203.3	1229.3	1219.5	1255.0	1252.7	1332.4	1343.8
G22.0	1097.6	1106.6	1115.4	1116.8	1131.7	1129.7	1155.8	1163.0	1230.5	1239.9
G23.0	1014.1	1022.8	1031.2	1027.3	1045.6	1039.9	1065.1	1075.7	1135.8	1144.5
G24.0	926.2	930.5	938.1	936.8	950.8	950.4	973.9	980.6	1040.2	1056.8
G25.0	846.3	853.4	860.3	854.5	872.3	872.6	891.7	896.5	952.0	962.3
G26.0	774.3	776.9	782.5	780.5	794.0	794.7	816.5	820.3	872.9	882.6
G27.0	696.9	701.4	706.2	705.0	717.0	717.2	734.8	741.8	792.2	799.6
G28.0	633.3	636.8	638.8	637.0	648.7	649.5	668.9	672.3	722.2	728.6
G29.0	571.6	568.5	579.1	571.2	588.0	583.6	604.6	604.9	653.9	658.9
G30.0	512.3	514.3	518.7	513.5	524.7	528.3	542.5	545.6	584.5	589.6
G31.0	462.5	462.1	464.9	464.4	473.9	475.0	487.6	493.6	528.9	533.3
G32.0	409.6	412.5	414.1	412.8	420.3	421.2	435.2	438.9	470.7	475.2
G33.0	367.9	368.6	370.4	370.7	377.3	379.0	391.4	394.6	424.4	428.0
G34.0	328.1	330.2	333.0	330.2	338.8	340.0	349.7	354.3	379.9	385.1
G35.0	290.9	292.1	293.7	292.7	299.2	299.9	310.4	312.2	337.5	340.2
G36.0	258.8	259.9	262.5	262.1	268.0	268.1	276.3	279.6	302.2	305.1

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 4)

Unit: cd

G\C	C100.0	C110.0	C120.0	C130.0	C140.0	C150.0	C160.0	C170.0	C180.0	C190.0
G37.0	231.4	229.6	234.5	230.8	238.2	236.6	246.9	245.7	265.8	271.5
G38.0	203.1	204.1	205.8	206.3	210.4	210.6	217.8	219.6	238.1	239.9
G39.0	181.2	182.3	184.1	182.9	187.8	187.3	193.8	195.0	212.8	214.0
G40.0	159.8	160.0	161.4	161.6	165.1	165.7	171.1	172.5	187.1	188.4
G41.0	141.7	142.6	144.1	143.8	147.5	147.0	152.4	153.8	166.8	168.7
G42.0	126.6	126.8	128.5	128.5	131.8	131.4	135.7	136.8	147.9	149.9
G43.0	112.2	112.5	113.9	113.6	115.9	116.4	120.2	120.7	131.2	131.7
G44.0	100.0	100.5	101.6	101.2	103.9	104.4	107.1	108.2	117.2	117.6
G45.0	89.6	89.1	91.1	90.0	92.7	92.7	95.9	95.3	103.5	104.9
G46.0	79.6	79.6	80.6	81.0	82.6	83.0	85.4	85.5	93.0	93.5
G47.0	71.4	71.9	72.7	72.8	74.4	74.8	76.5	77.0	83.4	83.6
G48.0	63.8	64.3	64.9	65.0	66.2	66.6	68.4	68.5	75.0	74.6
G49.0	57.6	57.9	58.5	58.9	60.1	60.2	61.9	61.8	67.8	67.1
G50.0	52.0	52.7	53.1	53.2	54.5	54.7	56.0	55.9	61.2	60.6
G51.0	46.8	47.3	48.0	48.0	48.9	49.3	50.1	50.3	54.8	54.7
G52.0	42.5	43.3	43.5	43.8	44.8	44.9	45.7	45.7	50.1	49.6
G53.0	38.8	39.2	40.0	39.8	41.0	40.7	41.5	41.2	45.4	45.3
G54.0	35.3	36.0	36.3	36.5	37.2	37.2	37.6	37.5	41.5	41.0
G55.0	32.3	33.0	33.5	33.7	34.3	34.3	34.5	34.4	38.1	37.7
G56.0	29.3	30.1	30.5	30.9	31.4	31.3	31.4	31.4	34.7	34.3
G57.0	27.0	27.7	28.1	28.5	28.9	28.8	28.9	28.7	31.8	31.8
G58.0	24.8	25.5	25.8	26.4	26.7	26.5	26.6	26.5	29.3	29.3
G59.0	22.5	23.3	23.6	24.1	24.4	24.2	24.4	24.2	26.7	26.8
G60.0	20.7	21.3	22.0	22.3	22.4	22.3	22.4	22.2	24.6	24.7
G61.0	18.7	19.4	20.0	20.1	20.4	20.3	20.4	20.2	22.3	22.7
G62.0	17.1	17.7	18.2	18.4	18.6	18.5	18.6	18.4	20.5	20.7
G63.0	15.7	16.1	16.6	17.0	17.0	16.9	17.0	16.9	18.7	19.0
G64.0	14.2	14.6	15.1	15.5	15.4	15.3	15.4	15.3	16.9	17.3
G65.0	13.1	13.4	13.7	14.1	14.1	14.0	14.1	14.1	15.4	15.8
G66.0	11.9	12.1	12.6	12.7	12.8	12.6	12.8	12.8	14.1	14.5
G67.0	10.7	10.8	11.2	11.5	11.5	11.5	11.6	11.6	12.6	13.0
G68.0	9.7	9.7	10.2	10.4	10.4	10.4	10.6	10.5	11.5	11.8
G69.0	8.7	8.6	8.9	9.2	9.1	9.2	9.4	9.4	10.2	10.6
G70.0	7.7	7.7	7.9	8.1	8.2	8.3	8.4	8.4	9.2	9.4
G71.0	6.9	6.9	7.0	7.3	7.3	7.2	7.5	7.5	8.1	8.3
G72.0	6.1	6.2	6.1	6.2	6.3	6.5	6.5	6.5	7.2	7.3
G73.0	5.3	5.4	5.3	5.4	5.5	5.6	5.7	5.7	6.3	6.4

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 6)

Unit: cd

G\C	C200.0	C210.0	C220.0	C230.0	C240.0	C250.0	C260.0	C270.0	C280.0	C290.0
G0.0	2629.6	2623.6	2623.6	2617.8	2616.6	2611.2	2611.1	2605.8	2605.1	2601.6
G1.0	2638.9	2635.7	2633.5	2629.6	2625.5	2621.0	2616.9	2612.3	2607.4	2603.3
G2.0	2638.5	2636.9	2634.0	2630.9	2625.3	2619.9	2613.3	2607.7	2599.5	2595.0
G3.0	2629.0	2628.4	2624.7	2621.0	2614.6	2608.8	2600.4	2592.4	2582.3	2575.5
G4.0	2610.0	2611.5	2607.0	2603.8	2595.7	2589.1	2579.1	2570.4	2556.6	2549.8
G5.0	2583.1	2587.1	2581.7	2578.9	2567.5	2562.3	2548.3	2540.0	2523.6	2514.5
G6.0	2545.8	2548.9	2542.8	2540.9	2528.6	2521.2	2505.6	2496.9	2477.3	2469.3
G7.0	2505.8	2508.3	2502.6	2501.0	2487.6	2477.5	2461.1	2452.1	2430.2	2419.4
G8.0	2453.6	2462.7	2451.6	2452.3	2432.9	2428.5	2403.4	2398.5	2372.3	2365.4
G9.0	2400.2	2405.7	2396.5	2394.5	2377.8	2368.5	2346.1	2335.5	2310.1	2297.0
G10.0	2337.1	2343.8	2334.1	2331.9	2313.8	2304.3	2283.2	2268.1	2241.1	2230.7
G11.0	2264.6	2271.9	2262.1	2258.6	2240.0	2229.6	2204.5	2190.9	2162.3	2151.8
G12.0	2192.5	2200.8	2190.2	2182.4	2166.8	2152.3	2125.9	2112.1	2082.4	2071.9
G13.0	2111.9	2120.0	2109.2	2104.6	2084.7	2073.2	2046.2	2031.4	2001.3	1990.3
G14.0	2018.4	2029.7	2013.7	2013.9	1992.6	1981.5	1953.6	1939.0	1907.8	1892.5
G15.0	1931.9	1938.4	1925.0	1922.6	1899.7	1889.0	1860.2	1846.2	1813.0	1803.1
G16.0	1831.7	1847.6	1823.5	1831.4	1798.4	1797.5	1758.1	1754.0	1710.8	1707.3
G17.0	1737.1	1740.2	1727.9	1723.8	1703.6	1689.3	1662.7	1646.6	1616.3	1604.0
G18.0	1636.5	1643.6	1626.6	1626.9	1602.5	1593.2	1561.8	1550.5	1516.5	1509.9
G19.0	1530.9	1531.0	1519.8	1519.4	1495.9	1482.2	1456.1	1444.5	1412.2	1401.3
G20.0	1430.1	1437.9	1423.2	1417.6	1394.6	1390.0	1360.9	1348.4	1317.6	1307.4
G21.0	1335.0	1337.2	1323.3	1321.0	1299.6	1289.6	1262.6	1249.6	1221.1	1214.3
G22.0	1232.5	1233.2	1220.5	1217.5	1198.0	1188.1	1162.6	1149.3	1123.5	1116.7
G23.0	1136.9	1137.7	1128.8	1122.5	1102.9	1094.4	1073.0	1057.1	1037.1	1027.0
G24.0	1040.5	1050.0	1029.1	1035.6	1007.2	1007.7	975.1	973.5	943.0	944.8
G25.0	956.4	959.2	945.5	944.4	923.7	913.7	893.8	883.1	864.1	856.3
G26.0	872.5	876.3	862.2	861.9	842.0	836.8	814.0	807.6	789.4	783.3
G27.0	790.5	794.6	780.7	780.0	761.9	755.8	735.9	729.9	709.2	707.4
G28.0	720.2	723.7	710.3	706.2	693.6	683.9	669.0	660.0	644.6	639.5
G29.0	652.5	654.9	645.7	640.7	626.9	620.3	603.5	598.4	581.7	579.1
G30.0	583.5	587.4	574.5	572.3	559.5	553.6	537.7	533.3	518.9	515.8
G31.0	527.8	528.3	519.2	517.9	505.1	500.0	485.8	480.8	467.6	465.7
G32.0	468.9	469.7	461.6	460.5	448.5	443.9	430.4	425.9	416.2	413.0
G33.0	422.0	423.0	415.0	414.4	403.7	399.0	386.3	382.3	371.7	371.1
G34.0	379.6	380.4	372.7	370.3	362.5	356.2	346.1	341.1	332.9	331.1
G35.0	335.1	336.1	330.9	328.5	321.5	315.8	306.5	302.2	292.9	293.1
G36.0	300.1	300.7	294.8	294.2	285.9	282.3	272.9	269.9	261.6	261.9

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:


Candlepower Table (Continue 7)

Unit: cd

G\C	C200.0	C210.0	C220.0	C230.0	C240.0	C250.0	C260.0	C270.0	C280.0	C290.0
G37.0	265.8	267.5	260.3	261.6	252.5	250.9	239.9	239.8	231.3	232.1
G38.0	235.9	235.9	231.5	230.9	224.6	221.2	214.0	211.5	205.3	204.9
G39.0	210.4	210.4	206.2	205.7	200.2	197.2	190.8	188.6	182.9	182.6
G40.0	185.5	185.5	182.1	181.5	176.5	174.0	168.2	165.9	161.0	160.8
G41.0	164.8	164.7	161.2	162.2	156.6	154.2	149.3	147.2	142.6	142.6
G42.0	147.0	147.3	143.9	143.4	139.4	137.7	133.1	131.4	127.3	126.5
G43.0	129.6	129.4	126.7	126.1	122.8	120.9	117.6	115.3	112.1	112.1
G44.0	115.4	115.8	113.3	112.7	109.4	108.3	104.5	103.3	100.3	100.4
G45.0	101.9	102.9	100.3	100.9	97.1	96.8	92.7	92.0	88.5	89.3
G46.0	91.4	91.4	89.5	88.8	86.5	85.5	82.8	82.0	79.6	79.4
G47.0	82.3	82.0	80.2	79.8	77.9	76.7	74.4	73.6	71.4	71.3
G48.0	73.0	72.7	71.1	70.9	69.2	68.4	66.2	65.4	63.8	63.5
G49.0	65.9	65.6	64.1	63.6	62.2	61.4	59.6	59.0	57.5	57.3
G50.0	59.4	59.2	57.6	57.3	55.9	55.3	53.8	53.2	51.8	51.7
G51.0	53.5	53.0	51.5	51.5	50.2	49.7	48.5	47.9	46.7	46.6
G52.0	48.4	47.8	46.7	46.4	45.4	45.1	44.0	43.5	42.6	42.3
G53.0	43.7	43.6	41.9	42.1	40.7	41.1	39.6	39.8	38.4	38.6
G54.0	40.1	39.4	37.9	37.8	37.1	37.0	36.1	35.8	35.1	34.9
G55.0	36.9	36.0	34.4	34.3	33.7	33.8	33.2	32.8	32.2	31.9
G56.0	33.7	32.6	31.2	30.9	30.4	30.6	30.0	29.8	29.2	29.1
G57.0	31.0	30.0	28.5	28.3	27.9	28.1	27.7	27.5	26.9	26.5
G58.0	28.7	27.6	26.0	25.8	25.5	25.8	25.4	25.2	24.7	24.4
G59.0	26.3	25.1	23.5	23.4	23.1	23.4	23.1	23.1	22.6	22.2
G60.0	24.2	23.0	21.4	21.3	21.1	21.3	21.2	21.2	20.7	20.3
G61.0	22.1	21.1	19.3	19.5	19.0	19.5	19.3	19.5	18.9	18.4
G62.0	20.3	19.1	17.4	17.5	17.3	17.5	17.6	17.8	17.2	16.8
G63.0	18.5	17.5	15.9	15.9	15.7	15.9	16.1	16.4	15.8	15.3
G64.0	16.9	15.7	14.3	14.3	14.2	14.5	14.5	15.0	14.3	13.9
G65.0	15.5	14.5	13.1	13.1	12.9	13.2	13.3	13.7	13.0	12.6
G66.0	14.1	13.1	12.0	11.8	11.8	12.1	12.1	12.4	11.8	11.4
G67.0	12.7	11.6	10.8	10.6	10.6	10.7	10.8	11.1	10.6	10.2
G68.0	11.4	10.6	9.7	9.6	9.6	9.6	9.7	9.9	9.4	9.1
G69.0	10.1	9.5	8.6	8.7	8.5	8.6	8.6	8.8	8.3	8.2
G70.0	8.9	8.3	7.7	7.6	7.5	7.5	7.6	7.7	7.5	7.3
G71.0	7.9	7.5	6.9	6.8	6.7	6.8	6.8	6.7	6.6	6.5
G72.0	6.9	6.6	6.1	5.9	5.8	5.9	5.9	5.8	5.7	5.7
G73.0	6.0	5.7	5.3	5.2	5.1	5.1	5.1	5.0	5.0	4.9

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

[illegible]

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 9)

Unit: cd

G\C	C300.0	C310.0	C320.0	C330.0	C340.0	C350.0	C360.0			
G0.0	2597.5	2594.0	2592.3	2591.3	2589.5	2589.5	2637.0			
G1.0	2597.1	2592.9	2587.9	2584.6	2579.2	2577.1	2620.1			
G2.0	2586.8	2582.4	2575.1	2569.4	2560.9	2556.4	2594.6			
G3.0	2567.6	2561.7	2550.5	2544.2	2531.4	2527.1	2558.6			
G4.0	2540.1	2532.8	2520.9	2512.5	2497.9	2491.6	2520.1			
G5.0	2504.7	2497.3	2481.7	2473.7	2457.1	2449.3	2473.4			
G6.0	2458.0	2447.8	2432.1	2421.6	2403.0	2393.9	2414.2			
G7.0	2406.4	2398.7	2378.7	2367.3	2349.3	2340.2	2354.7			
G8.0	2346.3	2341.1	2315.8	2309.3	2281.7	2277.6	2292.0			
G9.0	2282.9	2274.7	2253.4	2240.1	2217.0	2207.1	2214.9			
G10.0	2217.2	2207.4	2182.4	2168.1	2147.4	2137.6	2142.4			
G11.0	2135.1	2125.6	2103.1	2087.4	2062.8	2052.4	2058.4			
G12.0	2059.0	2049.1	2022.2	2009.5	1984.3	1973.5	1972.8			
G13.0	1973.9	1964.4	1940.7	1923.3	1898.3	1887.1	1888.5			
G14.0	1880.3	1871.0	1842.8	1830.0	1804.0	1793.9	1788.7			
G15.0	1790.6	1778.5	1753.2	1737.2	1710.9	1701.1	1699.3			
G16.0	1685.3	1686.7	1652.9	1646.7	1610.9	1611.0	1594.8			
G17.0	1591.8	1585.3	1555.6	1545.8	1514.2	1511.0	1502.6			
G18.0	1498.5	1487.3	1462.4	1448.7	1421.7	1414.9	1405.4			
G19.0	1390.8	1385.5	1356.1	1346.8	1320.5	1314.8	1304.6			
G20.0	1298.2	1292.5	1264.7	1255.2	1226.4	1225.3	1210.1			
G21.0	1203.3	1197.3	1174.9	1161.5	1138.5	1137.3	1121.8			
G22.0	1106.9	1100.9	1080.5	1067.2	1045.3	1040.0	1028.8			
G23.0	1021.7	1012.5	993.0	984.4	960.5	958.2	943.4			
G24.0	931.8	931.7	905.3	901.7	875.2	877.1	859.0			
G25.0	850.4	847.6	826.1	819.8	801.2	796.7	782.8			
G26.0	776.7	775.1	755.0	746.1	731.4	724.3	714.6			
G27.0	701.3	697.0	681.3	674.0	656.8	653.7	640.8			
G28.0	634.8	633.3	616.7	611.9	596.1	593.1	581.3			
G29.0	576.0	571.0	558.8	551.7	537.5	534.4	523.9			
G30.0	511.1	511.3	498.1	491.3	479.0	475.5	468.5			
G31.0	461.3	459.2	447.5	443.0	432.0	428.8	422.1			
G32.0	411.1	409.6	398.3	394.8	382.5	381.9	373.8			
G33.0	367.3	366.5	357.7	352.4	343.3	341.1	335.8			
G34.0	329.5	328.7	318.9	316.4	307.6	305.7	299.4			
G35.0	291.7	289.5	282.5	278.8	272.5	269.5	265.1			
G36.0	259.5	259.2	252.6	249.5	242.1	240.9	237.1			

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

Candlepower Table (Continue 10)

Unit: cd

G\C	C300.0	C310.0	C320.0	C330.0	C340.0	C350.0	C360.0			
G37.0	229.1	231.4	222.2	222.6	213.7	214.8	210.6			
G38.0	203.4	204.3	197.9	196.5	189.8	189.5	185.1			
G39.0	181.2	181.0	176.6	174.3	169.3	168.2	165.0			
G40.0	160.1	159.6	155.1	153.7	149.4	148.5	145.8			
G41.0	142.7	142.5	138.3	136.5	132.6	132.8	129.9			
G42.0	126.7	126.9	122.9	122.1	118.3	117.8	116.5			
G43.0	111.9	112.1	108.9	107.6	104.3	104.1	103.1			
G44.0	99.8	99.7	97.6	96.4	93.5	93.2	92.2			
G45.0	88.5	89.6	86.1	86.1	82.6	83.8	83.0			
G46.0	78.9	79.1	77.5	76.7	74.4	74.6	74.3			
G47.0	71.1	71.1	69.4	69.1	67.0	67.1	66.7			
G48.0	63.6	63.5	62.0	61.8	59.6	60.0	59.8			
G49.0	57.3	57.2	56.1	55.7	54.0	54.2	54.3			
G50.0	51.8	51.8	50.7	50.5	49.1	49.1	49.5			
G51.0	46.4	46.4	45.4	45.3	44.2	44.2	44.6			
G52.0	42.3	42.3	41.4	41.4	40.2	40.2	41.0			
G53.0	38.0	38.4	37.3	37.7	36.5	37.0	37.5			
G54.0	34.7	34.8	34.3	34.1	33.4	33.5	34.1			
G55.0	31.8	31.8	31.4	31.3	30.7	30.8	31.4			
G56.0	28.9	28.9	28.5	28.4	27.9	28.1	28.6			
G57.0	26.5	26.5	26.0	26.3	25.6	25.8	26.3			
G58.0	24.4	24.4	24.0	24.2	23.7	23.8	24.1			
G59.0	22.1	22.3	21.7	22.0	21.7	21.7	21.9			
G60.0	20.2	20.3	19.9	20.2	19.8	19.7	20.0			
G61.0	18.2	18.5	18.0	18.5	18.1	18.0	18.1			
G62.0	16.7	16.6	16.4	16.7	16.6	16.3	16.4			
G63.0	15.1	15.1	14.9	15.3	15.1	14.9	15.1			
G64.0	13.7	13.5	13.5	13.8	13.7	13.5	13.6			
G65.0	12.4	12.4	12.3	12.5	12.4	12.3	12.4			
G66.0	11.4	11.2	11.2	11.3	11.4	11.1	11.2			
G67.0	10.1	10.1	10.0	10.1	10.1	9.8	10.1			
G68.0	9.3	9.1	8.9	9.1	8.9	8.8	9.0			
G69.0	8.1	8.2	7.9	8.1	7.9	7.9	7.9			
G70.0	7.3	7.3	7.1	7.1	6.9	6.9	7.1			
G71.0	6.4	6.4	6.3	6.3	6.1	6.2	6.3			
G72.0	5.6	5.4	5.4	5.4	5.1	5.3	5.5			
G73.0	4.9	4.8	4.6	4.7	4.4	4.6	4.8			

C Plane (°):0.0-360.0: 10.0
Test Lab: Svet-lab
Test Type: TYPE C
Temperature:
Operator: Svet-lab

Gamma Plane (°):0.0-90.0:1.0
Test Device: LSG-1700B
Distance: 9.600 m
Humidity:
Inspector:

